SAFETY KNIVES AND ACCESSORIES 2023 SAURYA Value Driven Safety









 You can view the extensive table of contents here.
 Please flip open! MARTOR IS THE LEADING INTERNATIONAL PARTNER FOR INNOVATIVE CUTTING SOLUTIONS, ESPECIALLY IN THE AREA OF SAFETY KNIVES. THIS CATALOGUE PRESENTS OUR HIGH QUAL-ITY RANGE OF PRODUCTS. THIS MEANS YOU NOT ONLY FIND OUT EVERYTHING YOU COULD POSSIBLY WANT TO KNOW ABOUT EACH INDI-VIDUAL CUTTING TOOL, YOU ALSO RECEIVE ALL DATA AND FACTS THAT YOU NEED FOR TARGETED ORDERING.



WELCOME TO MARTOR

THE SAFER WAY TO CUT.

WELCOME TO THE WORLD OF SAFE CUTTING.

		CONCEALED BLADE			
BLADE	Page	→ maximum safety			
SECUMAX 350	14				
SECUMAX 320	16				
SECUMAX 150	18				
SECUMAX 145	20				
SECUMAX EASYSAFE	22				
SECUMAX OPTICUT	24			COMPLETE TABLE	
SECUMAX SNITTY	28			OF CONTENTS	
SECUMAX MOBILEX	30				
SECUMAX COUPPY	31			INTRODUCTION	
SECUMAX POLYCUT	32			Made in Solingen	2
SECUMAX PLASTICUT	34			From unsafe to safe cutting	4
SECUMAX CARDYCUT	36				
SECUMAX TRENNEX	38				
SECUMAX VISICUT	39			SAFETY KNIVES, SCISSORS AND	
SECUMAX 565	40			ACCESSORIES	
SECUMAX 564	42			Our latest products	10
SECUMAX 363	44			SECUMAX	13
				SECUPRO	47
				SECUNORM	63
FULLY AUTOMATIC		FULLY AUTOMATIC BLADE RETRACTION		SECUBASE	93
BLADE RETRACTION	Page	→ very high safety	\bigcirc	MDP knives	99
SECUPRO 625	48				115
SECUPRO MARTEGO	52			Accessories	121
SECUPRO MERAK	54				
SECUPRO MEGASAFE	56			APPENDIX	
SECUPRO MAXISAFE	58			Cutting material matrix	131
					134
				Our website	139
AUTOMATIC		AUTOMATIC BLADE RETRACTION		Our additional service media	140
BLADE RETRACTION	Page	→ high safety	\bigcirc	Your wishes	142
SECUNORM 500	64	, mgn sorery		The most common cutting types	144
SECUNORM 300	70			Our special terms	146
SECUNORM 525	72			Imprint	150
SECUNORM 540	74				
SECUNORM 380	76			FOLD OUT	
SECUNORM MIZAR	80			Pictogram legend	
SECUNORM 175	82				
SECUNORM 185	84				
SECUNORM HANDY	86				
SECUNORM SMARTCUT	88				
SECUNORM MULTISAFE	90				
BLADE RETRACTION		BLADE RETRACTION AND LOCKING			
AND LOCKING	Page	→ optional safety	\bigcirc		
SECUBASE 383	94		للنسخم		

MADE IN SOLINGEN. MADE FOR YOU.

Worldwide, the term "Solingen" stands for quality and reliability. This applies to knives and blades. "Made in Solingen" has been a recognised seal of quality for centuries. Just as it distinguishes the history of the MARTOR brand, we have been successful in being a part of Solingen's reputation. We currently supply products to more than 80 countries. Our worldwide network guarantees that customers have access to local suppliers. Customers can also rely on MARTOR's matchless services such as its detailed, practical advice, also provided on-site. A further benefit of our network is the gathering of product ideas from all over the world which can then be incorporated into our product innovations.



UNSAFE CUTTING. A FEW FACTS AND FIGURES.


MORE SAFETY AT THE WORK PLACE. OUR THREE SAFETY TECHNOLOGIES.

Cutting without risks? That's somehow a contradiction. We have been motivated in the past years and decades to resolve this contradiction. In 1976 we brought the first TÜV-certified safety knife in the world on the market, our PROFI. Our aim was to continuously improve what was already good. Fully automatic blade retraction followed automatic blade retraction. MARTOR was a pioneer here too. Our product range is now topped off with innumerable cutting tools with concealed blades, the highest safety level. Another new addition is the SECUBASE product family, which gives users a choice between retracting or fixed blades.

We have set standards with our GS-certified safety knives that are essential for protection at work. Numerous patents prove our strength to innovate. For us, safe is just not safe enough. Based on our four safety technologies and according to your needs, we aim to develop the "ideal cutting solution". This also includes, amongst other features, to make the blade change as easy and safe as possible.

We increasingly focus on "user friendliness". The ambassadors are our new products - for even better ergonomics and a new modern design.

Safety technologies



SECUMAX = Concealed blade


The blade is not open, but concealed, shielded from both people and goods alike. Giving you a maximum degree of safety from cut injuries whilst cleverly protecting your goods.




SECUPRO = Fully automatic blade retraction The intelligent cutting tool: as soon as the blade leaves the cutting material, it withdraws fully automatically into the handle - without you having to do anything. That's what we call "a very high degree of safety".




SECUNORM = Automatic blade retraction Thumbs up for a high degree of safety. As soon as you start cutting, remove your thumb from the slider. The blade will disappear into the handle the moment it loses contact with the material being cut.



SECUBASE = Optional safety Blade retraction protects you from cutting injuries. Alternatively, you can also lock the blade. When you release the lock, the blade retracts



This is the number of knife-based "reportable work-place accidents" that occurred in Germany in 2019 (Source: German Social Accident Insurance, 2020).



More than half of all workplace accidents involving manual tools were caused by (sub-optimal, unsafe) knives.



Each knife-based workplace accident results in up to 7.4 days off work (Source: German Accident Insurance and Prevention in the Food and Catering Industry, 2016)



Every workday lost costs employers around 500 euros on average.









ALL-ROUNDER OR SPECIALIST? OUR PRODUCT RANGE HAS BOTH. THE SECUNORM 500 NOT ONLY SUCCEEDS THE LEGENDARY SECUNORM PROFI, IT IS ALSO AMONG OUR TOP UNIVERSAL KNIVES FOR WIDE RANGING APPLICATIONS.

annanne

THE SECUBASE 383, WITH ITS LONG BLADE, IS AN EXPERT AT CUTTING THICKER MATERIAL. IT CAN ALSO BE USED AS A SAFETY KNIFE WITH BLADE RETRACTION OR AS A FIXED BLADE CUTTER.

OUR LATEST PRODUCTS





SECUBASE 383

Extra long blade and extremely flexible – as a safety knife as well as a cutter. From page 94.

SECUNORM 185

Compact all-purpose knife with a robust metal handle – also available with a ceramic blade. From page 84.





SECUNORM 500

Successor to the SECUNORM PROFI. And an all-rounder that's got what it takes to become a classic. From page 64.

SECUNORM 525

Upgrade of the SECUNORM PROFI25. With the same power plus increased comfort. From page 72.



SECUNORM PROFI40 MDP

Large cutting depth, uncoated, detectable. A product especially designed for sectors that are at risk of disruptions to production. From page 110.



SECUMAX 150 MDP

Cutting, scraping, splitting – one product for all. Also X-ray and metal detectable. From page 102.

OUR PRODUCT RANGE IS LIKE A BIG FAMILY FOR US. IT IS ALWAYS DIFFICULT TO PRAISE ONE PRODUCT. AN EXCEPTION: OUR INNO-VATIONS. PLEASE PAY A BIT MORE ATTENTION TO THEM.

Concealed blade

The blade is not open, but concealed, shielded from both people and goods alike. Giving you a maximum degree of safety from cut injuries whilst cleverly protecting your goods.

SECUMAX 350 NO. 350001.02

More fun while you work? Try it out.


The SECUMAX 350 is a combination of versatility, comfort and safety. A maximum degree of safety. Featuring an innovative blade change, this knife is multi-talented. It can be used to cut all standard materials, from film to plasticstrapping, from paper to 2-ply cardboard. It splits adhesive tape easily too. And it is so comfortable to hold that you won't want to put it down.



Videos


 $[\square_i]$

Application











PRODUCT FEATURES NO. 350001.02

Technical features

PRO	PRODUCT DETAILS				
Knife size (L x W x H)		154 x 12 x 40 mm			
Main material		Glass fibre reinforced plastic			
Weight		37.0 g			
Weight per unit (single unit box)		50.0 g			
ACCE	SSORIES	ORDER NO.			
8	BELT HOLSTER S WITH CLIP	NO. 9920.08			
03	CONNECTOR	NO. 9946.08			
Ô	USED BLADE CONTAINER	NO. 9810.08			

WALL MOUNT BRACKET USED BLADE 1 NO. 9845.06 CONTAINER

» further information from page 121 onwards









14

2-in-1 blade head Concealed blade Double function, double use: with two cutting edges and two tape splitters, this multifunctional blade head exceeds itself. Before you need to change the blade, flip it over once to use the second side. cardboard.



Spare blade in storage The SECUMAX 350 is a Blade change is easily and safely executed. Look for smart safety knife. It's fitted with a doublethe arrow and follow its sided overmoulded blade, lead. Open the blue inner the noses have the perside of the knife to refect length to protect. veal the spare blade. The The two cutting edges mounted blade will simulare wide enough to safely taneously unlatch. and effortlessly cut 2-ply

marto



Light and easy

Ergonomically shaped A cutting heavyweight, Right handed or left handbut with only 37 grams, ed? It's really all the same. this knife is rather light-The SECUMAX 350 fits perfectly in any hand. weight. Meaning that even high cutting frequencies Gently arched outer edges, won't weigh you down. coupled with suitably lo-There's no need to stress cated soft grip and light when handling the blade ribbing make for an ergoeither: a plastic jacket nomic experience. protects your fingers.



SECUMAX 350 with SECUMAX-BLADE NO. 3550 1 in single unit box (10 in multipack)

MOUNTABLE BLADES ORDER NO NO. 350001.02 22

SECUMAX BLADE NO. 3550 0.30 mm. 10 in box

ORDER NO NO. 3550.20

SECUMAX 320 NO. 32000110.02

COMBI reloaded. The new generation.


The SECUMAX COMBI was always in a class of its own as a film cutting expert - until it found its legitimate successor. The new SECUMAX 320 makes an instant impression with its outstanding design. And if you look more closely, you will appreciate its inner values. For example, in comparison to its predecessor, the perfected ergonomics and the completely overhauled blade change. What about the subject of "the highest level of work safety"? It has always been in the COMBI's DNA - and so it will remain that way.




Videos

 \square

Application







PRODUCT	FEATURES	NO.	32000110.02	



» all cutting materials from page 131 onwards

PRODUCT DETAILS

Knife size (L x W x H)	158 x 13 x 56 mm
Main material	Glass fibre reinforced plastic
Weight	47.4 g
Weight per unit (single unit box)	65.5 g

ACCESSORIES		ORDER NO.
8	BELT HOLSTER M WITH CLIP	NO. 9921.08
Ô	USED BLADE CONTAINER	NO. 9810.08
	WALL MOUNT BRACKET USED BLADE CONTAINER	NO. 9845.06
\bigcirc	SAFEBOX	NO. 108000.00

» further information from page 121 onwards



ORDER NO.

You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUMAX 320, this is the CERAMIC BLADE NO. 92C.



Safety first The concealed blade and rounded nose reliably protects you and your products. Furthermore, the knife head has been significantly strengthened making it more robust and longer lasting

16



Blade change made easy Another benefit for handling and safety is the newly designed blade change. Simply lift up the blade change button and remove the cover. You can then directly access the 4-cutting edge blade.



Optimised blade area Just two examples: The cutting channel is formed The new handle shape with so that your safety knife moves away the freshly cut material even faster. Diagonal cuts are also easier than ever to perform. Your benefits: Less effort required for the task.

martor

GERMAN DESIGN AWARD WINNER 2020

8

DESIGN



Two splitting depths When splitting tape, you now have a choice of depth between 5 mm and 3.5 mm – for even more goods protection. Just open the handle, turn around the splitter. finished. Working with the splitter is just as uncomplicated. Pierce the tape and ALL MODELS

SECUMAX 320 with INDUSTRIAL BLADE NO. 92043 1 in single unit box (10 in multipack)

ORDER NO.	MOUNTABL	E BLADES	ORDER NO.
NO. 32000110.02	0	INDUSTRIAL BLADE NO. 92043 0.40 mm, deep-edged, 10 in safety dispenser	NO. 92043.66
	0	CERAMIC BLADE NO. 92C 0.50 mm, ceramic, deep-edged, 2 on self-service card	NO. 1792.25
	0	INDUSTRIAL BLADE NO. 192043 0.40 mm, deep-edged, stainless, 10 in safety dispenser	NO. 192043.66

Perfect ergonomics Can you feel the difference?

the finger friendly contours fits like a glove. The preset cutting angle is also kind to the hand and arm helping you to position the knife for cutting.

away you go.

SECUMAX 150 NO. 150001.12

Full points in three regards.

The SECUMAX 150 resolves several issues in one. With its concealed blade, you will never have to worry about injuring yourself or damaging your goods. Thanks to its versatility, you only need the one tool to cut, scrape and split. And with its 24 grams and ergonomic design, the SECUMAX 150 won't weigh you down with fatigue after a day of cutting. In short: it is the cutting tool you have been waiting for.



Videos

 \square

Application



Technical features _' '_ LOGO 0 9



» all cutting materials from page 131 onwards

PRODUCT [DETAILS
-----------	---------

	4.40 4.4 37.5
Knife size (L x W x H)	148 x 11 x 37.2 mm
Main material	Glass fibre reinforced plastic
Weight	24.4 g
Weight per unit (10 in box)	295.0 g
Weight per unit (10 in box)	295.0 g
2	295.0 g ORDER NO.
Weight per unit (10 in box) ACCESSORIES BELT HOLSTER S WITH C	ORDER NO.

» further information from page 121 onwards









18

3-in-1 blade head The SECUMAX 150 fits like a This safety knife doesn't glove. It's so comfortable to hold, that it feels like an extension of your hand. With it you can cut cardboard, split tape, open plastic strapping... you can even scrape residue off surfaces.



and effortlessly cut 2-ply cardboard.

Concealed blade

Another reason why the need a sharp tip to be a SECUMAX 150 can cut smart knife. The cutting through cardboard so head is flat and relatively easily? The guide surfaces small, the two noses on located right at the front of each side have the perfect the safety knife help you length to protect, and to cut at an angle. Angled both cutting edges are cutting means less material wide enough to safely resistance!



Clever guide surfaces No blade change The SECUMAX 150 is a disposable knife. The blade can neither get lost nor injure you during blade change. When the time has come, you can easily dispose of the SECUMAX 150 with your residual waste.



Ergonomically shaped Right handed? Left handed? It's really all the same. The SECUMAX 150 fits perfectly in any hand. Gently arched outer edges, coupled with light ribbing and a low weight, ensure an ergonomic experience.



ORDER NO

NO. 150001.12

Installed blade The blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm



SECUMAX 145 NO. 145001.12

Compact design. Powerful performance.


The SECUMAX 145 is our clever, compact safety knife for routine cutting tasks. The glass-fibre reinforced plastic handle and 0.5 mm strong blade give it remarkable robustness. At just 12 g it is also extremely light. The disposable cutting tool easily copes with single-layer cardboard, film and packing tape, for example. The two cutting edges are safely concealed to protect fingers.




Videos

 \square

Application







~~~~  $\sim$ » all cutting materials from page 131 onwards

PRODUCT FEATURES NO. 145001.12

### PRODUCT DETAILS

Technical features

| Knife size (L x W x H)      | 118 x 4 x 35.4 mm                 |
|-----------------------------|-----------------------------------|
| Main material               | Glass fibre reinforced<br>plastic |
| Weight                      | 12.0 g                            |
| Weight per unit (10 in box) | 136.0 g                           |
| ACCESSORIES                 | ORDER NO.                         |
| BELT HOLSTER S WITH CLIP    | NO. 9920.08                       |

» further information from page 121 onwards







2-in-1 blade head Concealed blade The blade head provides cutting edge.



Flat and robust design With a 4 mm blade access, It is not just the handle that the blade is highly conhas an extremely flat decealed. Out of reach for sign – the cutting channel fingers but accessible to too measures just 1.5 mm, the materials to be cut. And requiring less effort for contents under the cutting cutting. The tool also resurface will also be kept tains its strength – thanks safe from contact with the to a 0.5 mm blade and high-quality plastic.



Light and easy The SECUMAX 145 is so lightweight that users will hardly notice it. This is aided by the comfortably rounded handle at just 4 mm wide, and thumbs will intuitively find their place at the ergonomically designed grooves.



Clever guide surfaces A tip from us on cutting card: hold the blade at an angle to improve cutting! It is no accident that the guide surfaces are located at the front of the knife – they aid cutting at the most effective angle.



ORDER NO NO. 145001.12

Installed blade The blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.50 mm



two functions: cutting and piercing. Use the knife's noses to the left and right of the blade to effortlessly pierce materials (e.g. card and film), and the blade head's corners for packing tape.

# SECUMAX EASYSAFE NO. 121001.02


### It's all easy. It's all safe.

The SECUMAX EASYSAFE convinces with its special features. The prominent and pointed nose of the cutting tool easily pierces plastic sacks and film-wrapped pallets. The concealed blade easily cuts the sacks and film. An integrated material guide makes it easier to cut thin film and paper sheets; even single layers won't jam. What about thin textiles or plastic strapping band? Not a problem for the concealed blade.



Videos

 $\square_i$  Application





| PRODUCT FEATURES NO. | 121001.02 |
|----------------------|-----------|
| Technical features   |           |



 $\sim$ » all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H)            |                                            | 207 x 10 x 66 mm                  |
|-----------------------------------|--------------------------------------------|-----------------------------------|
| Main material                     |                                            | Glass fibre reinforced<br>plastic |
| Weight                            |                                            | 66.3 g                            |
| Weight per unit (single unit box) |                                            | 87.0 g                            |
| ACCE                              | SSORIES                                    | ORDER NO.                         |
|                                   | LOCKING KEY EASYSAFE                       | NO. 9890.74                       |
|                                   | BELT HOLSTER S WITH CLIP                   | NO. 9920.08                       |
| Ō                                 | USED BLADE CONTAINER                       | NO. 9810.08                       |
| 4                                 | WALL MOUNT BRACKET USED BLADE<br>CONTAINER | NO. 9845.06                       |

| 1      | WALL MOUNT BRACKET USED BLADE<br>CONTAINER | NO. 9845.06   |
|--------|--------------------------------------------|---------------|
| $\sim$ | SAFEBOX                                    | NO. 108000.00 |

» further information from page 121 onwards





22

For people and goods The concealed blade provides reliable protection to you and your goods. And your company? It benefits too, naturally. Productivity is high when everything goes smoothly.



Ergonomic handle Lockable blade Your cutting tool never leaves your hand? Then it is even more important that it is as comfortable as possible, and that it causes as little fatigue as possible. feature for all sensitive The eroonomic handle is work places. designed with you in mind.

martor



For packaging tape This safety knife is lockable. You might be wondering With a specially shaped key, what the small metal you can lock it, and thereby plate on the top side of prohibit blade change. This the SECUMAX EASYSAFE is a particularly interesting does... Try it out! Set the plate against the tape of a taped box, apply enough pressure to pierce the tape, . and slice!



4-cutting edge blade Why do you benefit more from your blade? With its four sharp edges, it can be rotated four times. That's why. The result? Blade life is quadrupled and you stay sharp for longer.



ORDER NO. SECUMAX EASYSAFE with INDUSTRIAL BLADE NO. 45 NO. 121001. 1 in single unit box (10 in multipack)

|     | MOUNTABLE BLADES |                                                            |  |
|-----|------------------|------------------------------------------------------------|--|
| .02 | 00[00            | INDUSTRIAL BLADE NO. 45<br>0.30 mm, 10 in transparent pack |  |
|     |                  |                                                            |  |

martor

0000

| MOUNTABLE | BLADES                  |
|-----------|-------------------------|
| 00[00     | INDUSTRIAL BLADE NO. 45 |

| 00 | 0.30 mm, 10 in transparent pack                                        | NU. 45.60  |
|----|------------------------------------------------------------------------|------------|
| 00 | INDUSTRIAL BLADE NO. 145<br>0.30 mm, stainless, 10 in transparent pack | NO. 145.60 |

23

ORDER NO

NO 45 CO

# SECUMAX OPTICUT NO. 437.00

### Glides over the material. And right through the middle. For "push" cutting.


You are looking for a film and foam cutter that effortlessly cuts harder and stronger film? One that's not afraid of stubborn foam? You have found the best possible solution with the SECUMAX OPTICUT. Its Teflon-coated metal foot makes it both extremely abrasion resistant and easy to slide. Glide with jam-less ease through whatever material you want to cut. Ideal for "push" cutting.




Videos

 $\square$ 

Application





PRODUCT FEATURES NO. 437.00



» all cutting materials from page 131 onwards

## PRODUCT DETAILS

| Knife size (L x W x H)              | 112 x 19 x 84.5 mm |
|-------------------------------------|--------------------|
| Main material                       | Plastic            |
| Weight                              | 74.0 g             |
| Weight per unit (self-service card) | 91.0 g             |

| ACCE | SSORIES                                 | ORDER NO.     |
|------|-----------------------------------------|---------------|
| Ô    | USED BLADE CONTAINER                    | NO. 9810.08   |
|      | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| 0    | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards





### Work ergonomically Cut clean

It's easy to work ergonom-Whether cutting foam or ically with the SECUMAX film, the bendable plastic OPTICUT. Your fingers material guide reliably will be delighted with the stops material jamming sizable grip, your thumb in front of the blade. The with the additional curving guide also protects your at the front of the handle. fingers from contact with Glide cutting couldn't be the blade more comfortable.



### Extremely robust Easy blade change The glide foot, made of Blade change is performed Teflon-coated metal, is using the small, rotating both durable and robust. catch found on the cutter The foot and the similarly side. Swing, press and robust handle are firmly release the glide foot. The blade is housed within the screwed together; you will be sure to eniov your cutfoot. Replace or rotate ting tool for an extended the blade before pushing period of time. everything back into place.



### 4-cutting edge blade

Before you need to change your blade, you have the option of rotating it multiple times. Four times to be precise. In this way, you can get so much more out of your blade. Practical for you, favourable for your company!



5

1 on self-service card (5 in multipack) base and

| SECUMAX OPTICUT with a short metal ba   |
|-----------------------------------------|
| INDUSTRIAL BLADE NO. 37040              |
| 1 on self-service card (5 in multinack) |

ORDER NO.

NO. 437.00

NO. 434.00

NO. 433.00

| MOUNTABLE BLADES |                                                                                                  | ORDER NO.    |  |
|------------------|--------------------------------------------------------------------------------------------------|--------------|--|
| 000              | INDUSTRIAL BLADE NO. 37040<br>0.40 mm,<br>10 in transparent pack                                 | NO. 37040.60 |  |
| 000              | INDUSTRIAL BLADE NO. 37044<br>0.40 mm, deep-edged,<br>10 in transparent pack                     | NO. 37044.60 |  |
| 000              | INDUSTRIAL BLADE NO. 13730<br>0.30 mm, stainless,<br>10 in transparent pack                      | NO. 13730.60 |  |
| 000              | INDUSTRIAL BLADE NO. 83730<br>0.30 mm, stainless, TiN-coated,<br>100 blades (each paper-wrapped) | NO. 83730.31 |  |



# SECUMAX OPTICUT NO. 436.00

### Glides over the material. And right through the middle. For "pull" cutting.


You are looking for a film and foam cutter that effortlessly cuts harder and stronger film? One that's not afraid of stubborn foam? You have found the best possible solution with the SECUMAX OPTICUT. Its Teflon-coated metal foot makes it both extremely abrasion resistant and easy to slide. Glide with jam-less ease through whatever material you want to cut. Ideal for "pull" cutting.



Videos

 $\square$ 

Application







» all cutting materials from page 131 onwards

### PRODUCT DETAILS

| Knife size (L x W x H)              | 112 x 19 x 84.5 mm |
|-------------------------------------|--------------------|
| Main material                       | Plastic            |
| Weight                              | 74.0 g             |
| Weight per unit (self-service card) | 91.0 g             |

| ACCE | SSORIES                                 | ORDER NO.     |
|------|-----------------------------------------|---------------|
| Ô    | USED BLADE CONTAINER                    | NO. 9810.08   |
|      | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| 0    | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards





 
 Work ergonomically
 Cut clean

 It's easy to work ergonomically with the SECUMAX
 Methero C

 OPTICUT. Your fingers
 material g

 will be delighted with the sizable grip, your thumb
 stops material unif front of guide action of the handle.

 Glide cutting couldn't be more comfortable.
 fingers free the blade.



Extremely robust Whether cutting foam or The glide foot, made of film, the bendable plastic Teflon-coated metal, is material guide reliably both durable and robust. stops material jamming The foot and the similarly in front of the blade. The robust handle are firmly guide also protects your screwed together; you will fingers from contact with be sure to eniov your cutting tool for an extended period of time.



Easy blade change f Blade change is performed using the small, rotating st. catch found on the cutter rly side. Swing, press and y release the glide foot. The will blade is housed within the blade is housed within the utfoot. Replace or rotate ed the blade before pushing everything back into place.



4-cutting edge blade Before you need to change

your blade, you have the option of rotating it multiple times. Four times to be precise. In this way, you can get so much more out of your blade. Practical for you, favourable for your company!



SECUMAX OPTICUT with INDUSTRIAL BLADE NO. 37040 1 on self-service card (5 in multipack)

SECUMAX OPTICUT with additional side protection and INDUSTRIAL BLADE NO. 37040 NO. 435.00 1 on self-service card (5 in multinack)

ORDER NO.

NO. 436.00

| MOUNTABLE BLADES |                                                                                                  | ORDER NO.    |
|------------------|--------------------------------------------------------------------------------------------------|--------------|
| 000              | INDUSTRIAL BLADE NO. 37040<br>0.40 mm,<br>10 in transparent pack                                 | NO. 37040.60 |
| 000              | INDUSTRIAL BLADE NO. 37044<br>0.40 mm, deep-edged,<br>10 in transparent pack                     | NO. 37044.60 |
| 000              | INDUSTRIAL BLADE NO. 13730<br>0.30 mm, stainless,<br>10 in transparent pack                      | NO. 13730.60 |
| 000              | INDUSTRIAL BLADE NO. 83730<br>0.30 mm, stainless, TiN-coated,<br>100 blades (each paper-wrapped) | NO. 83730.31 |




# SECUMAX SNITTY NO. 43037.00

### A well rounded knife. For paper and film.

A paper and film cutter that guides the cutting material itself? Meet the SECUMAX SNITTY. Its integrated plastic material guide leads thin material in the direction of the blade, smoothing out bumps and preventing jamming. As with the similarly designed SECUMAX COUPPY, the blade lays at a 45° degree angle to the cutting material. An optimal angle for easy cutting.



Application



Technical features



» all cutting materials from page 131 onwards

PRODUCT FEATURES NO. 43037.00

### PRODUCT DETAILS

| Knife size (L x W x H)              | 100 x 10.5 x 58 mm |
|-------------------------------------|--------------------|
| Main material                       | Plastic            |
| Weight                              | 28.0 g             |
| Weight per unit (self-service card) | 38.5 g             |

| ACCE | SSORIES                                 | ORDER NO.     |
|------|-----------------------------------------|---------------|
| Ô    | USED BLADE CONTAINER                    | NO. 9810.08   |
|      | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| 0    | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards



 
 Practical assistant
 Changing blades – easy and safe

 The SECUMAX SNITTY is small, light and handy.
 The blade carrier is integrated into the handle, You grated into the handle, You iust have to pull it out to change the blades – and the old blade is ready to be changed. The rough surface of the blade carrier makes

handling easier.



martor

 
 Changing blades - easy and safe
 Left and right

 The blade carrier is integrated into the handle. You just have to pull it out to change the blades - and the old blade is ready to be changed. The rough surface
 The sECUMAX SNITTY fits into every hand. Yours too. The rounded plastic handle does not differentiate between left and right. Try it out and see!



4-cutting edge blade Your safety knife is fitted with a 0.2 mm thin quality blade. You can turn it and turn it around many times – and thus quadruple your usage time. It's worth it for you. ALL MODELS

SECUMAX SNITTY with INDUSTRIAL BLADE NO. 37020 NO. 43037.00 1 on self-service card (10 in multipack)

ORDER NO.

| MOUNTABLE             | MOUNTABLE BLADES                                                                                 |              |
|-----------------------|--------------------------------------------------------------------------------------------------|--------------|
| 000                   | INDUSTRIAL BLADE NO. 37020<br>0.20 mm, 10 in magazine                                            | NO. 37020.50 |
| 000                   | INDUSTRIAL BLADE NO. 37030<br>0.30 mm, 10 in magazine                                            | NO. 37030.50 |
| 000                   | INDUSTRIAL BLADE NO. 37010<br>0.10 mm, 10 in magazine                                            | NO. 37010.50 |
| $(\circ \circ \circ)$ | INDUSTRIAL BLADE NO. 36013<br>0.13 mm, 250 blades (each paper-wrapped)                           | NO. 36013.39 |
| 000                   | INDUSTRIAL BLADE NO. 13615<br>0.15 mm, stainless,<br>500 blades (each paper-wrapped)             | NO. 13615.35 |
| 000                   | INDUSTRIAL BLADE NO. 13730<br>0.30 mm, stainless, 10 in transparent pack                         | NO. 13730.60 |
| 000                   | INDUSTRIAL BLADE NO. 83715<br>0.15 mm, stainless, TIN-coated,<br>100 blades (each paper-wrapped) | NO. 83715.31 |
| 000                   | INDUSTRIAL BLADE NO. 83730<br>0.30 mm, stainless, TIN-coated,<br>100 blades (each paper-wrapped) | NO. 83730.31 |

» all blades from page 134 onwards


martor

# SECUMAX MOBILEX NO. 45137.00

Application

### Adjustable cutting depth. You choose!


Paper, film, foam? Not a problem at all! But wait, there's more! The SECUMAX MOBILEX is the only safety knife with a concealed blade and an adjustable cutting depth. Make blade access larger or smaller by setting the in-built cutting depth adjuster. Set a depth ranging from low 2 mm to great 10 mm. It all depends on your requirements and the size of the material you need to cut.



# SECUMAX COUPPY NO. 43136.00

### Make way for the specialist.

An expert in cutting flat paper and plastic sheets? You've found it in the handy SECUMAX COUPPY. Its concealed blade lies at a 45 degree angle to the cutting material. An optimal angle for easy cutting. A flat, clean base allows the safety knife to slide smoothly. The cleverly rounded head of the knife intuitively guides the cutting material towards the blade.





Application



### PRODUCT FEATURES NO. 45137.00

| Technical features |                                          |  |      |        |  |                   |
|--------------------|------------------------------------------|--|------|--------|--|-------------------|
| $\bigcirc$         | $(\mathbf{x}) = \mathbf{x}_{\mathbf{x}}$ |  | 14 g | 2 - 10 |  | _! '_<br>LOGO<br> |

### Main cutting materials

|  |  | $\approx$ | $\approx$ |
|--|--|-----------|-----------|
|--|--|-----------|-----------|

» all cutting materials from page 131 onwards

### ACCESSORIES

| Ô          | USED BLADE CONTAINER                       | NO. 9810.08   |
|------------|--------------------------------------------|---------------|
|            | WALL MOUNT BRACKET USED<br>BLADE CONTAINER | NO. 9845.06   |
| $\bigcirc$ | SAFEBOX                                    | NO. 108000.00 |

ORDER NO.

martor

» further information from page 121 onwards

| E DETAILS |
|-----------|
|           |

| Knife size (            | (L x W x H)                                                                                      | 114 x 15.5 | x 59 mm      |
|-------------------------|--------------------------------------------------------------------------------------------------|------------|--------------|
| Main material           |                                                                                                  | Plastic    |              |
| Weight                  |                                                                                                  | 47.5 g     |              |
| Weight per              | unit (self-service card)                                                                         | 58.4 g     |              |
| ALL MODELS              |                                                                                                  |            | ORDER NO.    |
|                         | SECUMAX MOBILEX with INDUSTRIAL<br>1 on self-service card (5 in multipack)                       |            | NO. 45137.00 |
| MOUNTABLE I             | BLADES                                                                                           |            | ORDER NO.    |
| 000                     | INDUSTRIAL BLADE NO. 37020<br>0.20 mm, 10 in magazine                                            |            | NO. 37020.50 |
| 000                     | INDUSTRIAL BLADE NO. 36030<br>0.30 mm, 10 in magazine                                            |            | NO. 36030.50 |
| 000                     | INDUSTRIAL BLADE NO. 37030<br>0.30 mm, 10 in magazine                                            |            | NO. 37030.50 |
| $( \circ \circ \circ )$ | INDUSTRIAL BLADE NO. 13615<br>0.15 mm, stainless,<br>500 blades (each paper-wrapped)             |            | NO. 13615.35 |
| 000                     | INDUSTRIAL BLADE NO. 13730<br>0.30 mm, stainless, 10 in transparent                              | pack       | NO. 13730.60 |
| 000                     | INDUSTRIAL BLADE NO. 83715<br>0.15 mm, stainless, TIN-coated,<br>100 blades (each paper-wrapped) |            | NO. 83715.31 |

# Technical features

PRODUCT FEATURES NO. 43136.00



### » all cutting materials from page 131 onwards

| ACCES | SORIES                                     | ORDER NO.     |
|-------|--------------------------------------------|---------------|
| Ô     | USED BLADE CONTAINER                       | NO. 9810.08   |
|       | WALL MOUNT BRACKET USED<br>BLADE CONTAINER | NO. 9845.06   |
| 0     | SAFEBOX                                    | NO. 108000.00 |

| further | information | from | page | 121 | onwards |  |
|---------|-------------|------|------|-----|---------|--|
|         |             |      |      |     |         |  |

### PRODUCT DETAILS

| Knife size (L x W x H) |                                                                                                         | 88 x 10.5 > | : 58 mm      |
|------------------------|---------------------------------------------------------------------------------------------------------|-------------|--------------|
| Main mate              | rial                                                                                                    | Plastic     |              |
| Weight                 |                                                                                                         | 19.0 g      |              |
| Weight per             | unit (self-service card)                                                                                | 31.0 g      |              |
| ALL MODELS             |                                                                                                         |             | ORDER NO.    |
| S.                     | SECUMAX COUPPY with INDUSTRIAL BLADE NO. 36020 NO. 43136.00<br>1 on self-service card (10 in multipack) |             | NO. 43136.00 |

| MOUNTABLE BLADES      |                                                                                                  | ORDER NO.    |
|-----------------------|--------------------------------------------------------------------------------------------------|--------------|
| $(\circ \circ \circ)$ | INDUSTRIAL BLADE NO. 36020<br>0.20 mm, 10 in magazine                                            | NO. 36020.50 |
| $(\circ \circ \circ)$ | INDUSTRIAL BLADE NO. 36013<br>0.13 mm, 250 blades (each paper-wrapped)                           | NO. 36013.39 |
| $(\circ \circ \circ)$ | INDUSTRIAL BLADE NO. 36010<br>0.10 mm, 10 in magazine                                            | NO. 36010.50 |
| $(\circ \circ \circ)$ | INDUSTRIAL BLADE NO. 13615<br>0.15 mm, stainless,<br>500 blades (each paper-wrapped)             | NO. 13615.35 |
| $(\circ \circ \circ)$ | INDUSTRIAL BLADE NO. 83615<br>0.15 mm, stainless, TIN-coated,<br>500 blades (each paper-wrapped) | NO. 83615.35 |
| 000                   | INDUSTRIAL BLADE NO. 83630<br>0.30 mm, stainless, TIN-coated,<br>500 blades (each paper-wrapped) | NO. 83630.35 |

» all blades from page 134 onwards martor

# SECUMAX POLYCUT NO. 8500012.12

### The all-rounder among specialists.


The SECUMAX POLYCUT is another of our small, plastic disposable knives and is special by being an all-rounder. The larger gap between the blade and plastic means it can cut through multiple layers of material. Furthermore, with its long pointed nose you are able to cut your way through envelopes, between paper rolls and through layers of film. Its slender design also enables it to be used in tight spaces.



Videos

 $\square$ 

Application





PRODUCT FEATURES NO. 8500012.12


» all cutting materials from page 131 onwards

Weight per unit (10 in box)



| PRODUCT DETAILS        |                    |
|------------------------|--------------------|
| Knife size (L x W x H) | 76.1 x 3 x 45.1 mm |
| Main material          | Plastic            |
| Weight                 | 6.6 g              |

78.4 g







It's all protected The quality blade is safely embedded between the nose and the handle. So it only cuts what you really want to cut. And there is no risk to your goods while doing so.



Singularly good Long, pointed nose The SECUMAX POLYCUT is a Why the extra long and disposable knife. Since you pointed nose in the do not have to change the SECUMAX POLYCUT? Beblade, neither you nor your cause you can place it parstaff can come into conticularly well in the spaces tact with it. An additional in between. The cutting benefit as far as safety is material is also led to the roncerned blade in a much more

martor



reliable way.

 
 For any hand

 nd
 The SECUMAX POLYCUT is small, light and handy.

 Se So handy that you can gladly work longer with it. It doesn't matter whether ng you are right or left-handthe ed, because this cutting tool always fits.



Ideally placed You won't misplace the SECUMAX POLYCUT so easily. The safety knife is equipped with an eyelet so it can be kept in an easy to find place.



ORDER NO. NO. 8500012.12

NO. 8500112.12

NO. 8500212.12

Installed blade

The blade is moulded into the body of the knife and cannot be changed.
Blade thickness 0.30 mm.
SECUMAX POLYCUT glass fibre reinforced plastic



10 in box (loose)

The blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.



Installed blade The stainless blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.

# SECUMAX PLASTICUT NO. 46912.12

### Capable of cutting multiple layers.

The SECUMAX PLASTICUT is different from the other products in our range but only in the detail. But you know: that's what often matters most. Thanks to the generous gap between blade and plastic, the safety knife copes with, for example, film and paper in multiple layers. Due to its width of 3 mm, cutting curves and cutting in tight spaces is also possible. By the way, until its facelift this cutting tool was called the SECUMAX POLYPICK.



Videos

 $\square$ 


PRODUCT FEATURES NO. 46912.12

P

Technical features \_' '\_ LOGO \_, \_\_  $\mathcal{D}$ Ă Main cutting materials  $\bowtie$ 

9  $\sim$ 

» all cutting materials from page 131 onwards



| PRODUCT DETAILS             |                  |
|-----------------------------|------------------|
| Knife size (L x W x H)      | 76 x 3 x 45.5 mm |
| Main material               | Plastic          |
| Weight                      | 6.5 g            |
| Weight per unit (10 in box) | 76.0 g           |







It's all protected The quality blade is safely embedded between the nose and the handle. So it only cuts what you really want to cut. And there is no risk to your goods while doing so.



piercing into the material

to be cut.

Nose for piercing Singularly good You will not put away the The SECUMAX PLASTICUT SECUMAX PLASTICUT so is a disposable knife. Since easily. That's because it you do not have to change is comfortable, light and the blade, neither you nor handy. It has a slightly your staff can come into raised and pointed nose and is therefore ideal for al benefit as far as safety is



Ideally placed You won't misplace the SECUMAX PLASTICUT so easily. The safety knife is equipped with an eyelet so it can be kept in an easy to contact with it. An addition- find place.



Application

ORDER NO. NO. 46912.12

NO. 346912.12

Installed blade

The blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.



Installed blade

The TIN-coated stainless steel blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.

34

concerned.

# SECUMAX CARDYCUT NO. 746912.12

### Ventures where others won't. Stainless steel.

The SECUMAX CARDYCUT is just 2 mm thick and has a short nose to make it one of our leanest and most compact cutting tools. You can therefore reach the places that other knives can't. For example, those tiny gaps found in the automotive industry. The narrow access between blade and plastic enables you to make controlled cuts of single-layer film and paper.




Videos

 $\left[ \right]_{i}$ 

# Application

# SECUMAX CARDYCUT NO. 546912.12



You will always gain insight with the SECUMAX CARDYCUT since it is made of plastic that is clear as glass. This makes visual control easier when cutting film and paper. Thanks to its small and compact design, it runs very smoothly, for example, when cutting into curves and in especially narrow slits. As a specialist for thin single-layer film it is used frequently in the automobile industry.



Videos

 $\left[ \right]_{i}$ 

# Application





### PRODUCT FEATURES NO. 746912.12

### 

### Main cutting materials



» all cutting materials from page 131 onwards

| PRODI | ICT | DET | ΔΠ | S |
|-------|-----|-----|----|---|

000

| Knife size (L x W x H)                                               |  | 71.3 x 2 x 43 mm |                                       |
|----------------------------------------------------------------------|--|------------------|---------------------------------------|
| Main material<br>Weight<br>Weight per unit (10 in box)<br>ALL MODELS |  | Plastic<br>6.0 g |                                       |
|                                                                      |  |                  |                                       |
|                                                                      |  | ORDER NO.        |                                       |
|                                                                      |  |                  | SECUMAX CARDYCUT<br>10 in box (loose) |

### Installed blade

The TIN-coated stainless steel blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.

### PRODUCT FEATURES NO. 546912.12





» all cutting materials from page 131 onwards

### PRODUCT DETAILS

| Knife size (L x W x H)<br>Main material<br>Weight<br>Weight per unit (10 in box) |                                       | 71 x 3 x 43 mm |  |
|----------------------------------------------------------------------------------|---------------------------------------|----------------|--|
|                                                                                  |                                       | Plastic        |  |
|                                                                                  |                                       | 6.6 g          |  |
|                                                                                  |                                       | 79.5 g         |  |
| ALL MODELS                                                                       | 5                                     | ORDER NO.      |  |
|                                                                                  | SECUMAX CARDYCUT<br>10 in box (loose) | NO. 546912.12  |  |

### Installed blade

The TIN-coated stainless steel blade is moulded into the body of the knife and cannot be changed. Blade thickness  $0.30\ \text{mm}.$ 

# SECUMAX TRENNEX NO. 6200012.12




Videos

 $\left[ \right]_{i}$ 

### Slices anything that's soft.

The SECUMAX TRENNEX is a disposable knife made of a stable plastic. It'll efficiently cut an array of different materials, but does prefer to work with those of a softer substance. Foam, pipe insulations, perforated film and coarsely meshed textiles are all materials the SECUMAX TRENNEX loves to cut. The tip of its nose is significantly rounded. This prevents hooking and tripping. Minor detail, major effect.



# SECUMAX VISICUT NO. 47012.12




Videos

 $\left[ \right]_{i}$ 

### Your visiting card. With a blade.

As fragile as the SECUMAX VISICUT may appear, it is a really sharp cutting tool. And a popular advertiser too. If you look closely, it is like a business card with an in-built quality blade. So why not also your new business card? Your name, logo and your claim printed on it would always be there when your customers, friends and partners open their letters with it.







### PRODUCT FEATURES NO. 6200012.12

| Technical features     |       |   |                       |
|------------------------|-------|---|-----------------------|
|                        | ¥I UU | B | _! !_<br>LOGO<br>_! ! |
| Main cutting materials |       |   |                       |

# ■ # .... & ... 8 N I

» all cutting materials from page 131 onwards

38

### PRODUCT DETAILS

| Knife size (L x W x H)<br>Main material<br>Weight<br>Weight per unit (10 in box)<br>ALL MODELS |  | 76 x 3 x 45.1 mm<br>Plastic<br>7.0 g |                                      |                |
|------------------------------------------------------------------------------------------------|--|--------------------------------------|--------------------------------------|----------------|
|                                                                                                |  |                                      |                                      | 81.0 g         |
|                                                                                                |  |                                      |                                      | ORDER NO.      |
|                                                                                                |  |                                      | SECUMAX TRENNEX<br>10 in box (loose) | NO. 6200012.12 |

### Installed blade

The blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.

SECUMAX TRENNEX glass fibre reinforced plastic N0. 6200112.12 10 in box (loose)

### Installed blade

The blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.

### PRODUCT FEATURES NO. 47012.12

| Technic    | al featur | es         |                  |   |   |                   |
|------------|-----------|------------|------------------|---|---|-------------------|
| $\bigcirc$ | Ż         | $\bigcirc$ | $\mathbf{X}_{3}$ | ⋓ | a | _' '_<br>LOGO<br> |





» all cutting materials from page 131 onwards

### PRODUCT DETAILS

| Knife size (L x W x H)               | 69.6 x 2.5 x 41.6 mm |
|--------------------------------------|----------------------|
| Main material                        | Plastic              |
| Weight                               | 6.6 g                |
| Weight per unit (10 in box           | 79.0 g               |
| ALL MODELS                           | ORDER NO.            |
| SECUMAX VISICUT<br>10 in box (loose) | NO. 47012.12         |

Installed blade

The blade is moulded into the body of the knife and cannot be changed. Blade thickness  $0.30\ \text{mm}.$ 



# SECUMAX 565 NO. 565001.00

### The all-rounder. At work and at home.


Our all-purpose tool for professional cutting. Ideal for larger hands - or in case you wear gloves during work. Cardboard, paper, films, fabrics and much more cannot withstand its powerful cuts. You also have the best protection thanks to the special sharpening and the rounded tips. The wire-cutter facility can be used to cut through wires and cables, and the additional grips integrated in the handle to open caps.



Videos

 $\square$ 

Application



PRODUCT FEATURES NO. 565001.00




» all cutting materials from page 131 onwards

### PRODUCT DETAILS

| Scissors size (L x W x H)           | 216 x 13 x 83 mm |
|-------------------------------------|------------------|
| Main material                       | Stainless steel  |
| Weight                              | 122.0 g          |
| Weight per unit (self-service card) | 140.0 g          |

| 8 | BELT HOLSTER M WITH CLIP | NO. 9921.08 |
|---|--------------------------|-------------|







40

Stainless steel Sharp, but not dangerous Take a look at the cutting edges. Noticed anything? They are not ground at an angle, but at right angles. Therefore you cannot cut yourself, only the large range of potential materials. long service life.



Comfortable working You will be able to use your The experts call them scissors for a very long "eyes" and these are the time as the metal parts two big openings in which are made from stainless you insert your fingers to steel. The handles have securely hold the scissors. been coated in a plastic The "soft grip" on the inreinforced with fibreolass. sides also helps to ensure Another guarantee for a comfortable and non-slip working.



Unscrewing grips Even though the SECUMAX 565 is an all-rounder, it is not restricted just to cutting. A cap that you cannot unscrew? Just use the grips embedded in the handles and the problem will be solved in no time at all!



wire or cable in place and then cut it to the required length.



ORDER NO. NO. 565001.00

# SECUMAX 564 NO. 564001.00

### Thumbs up – for very long cuts.

The SECUMAX 564 is characterized by its thumb opening and its extra-long edge, which also makes an ideal support surface. These safety scissors enable you to completely control your work. Moreover, you need fewer cuts to complete the job of cutting through cardboard, paper, film, fabric and much more. Highest safety guaranteed by the special sharpening of the cutting edges and the rounded tips.



Videos

 $\square$ 

Application



PRODUCT FEATURES NO. 564001.00



» all cutting materials from page 131 onwards

### PRODUCT DETAILS

| Scissors size (L x W x H)           | 218 x 12 x 82 mm |
|-------------------------------------|------------------|
| Main material                       | Stainless steel  |
| Weight                              | 93.0 g           |
| Weight per unit (self-service card) | 112.0 g          |

### ACCESSORIES ORDER NO. A BELT HOLSTER M WITH CLIP NO. 9921.08

» further information from page 121 onwards



80% of original size




Sharp, but not dangerous Take a look at the cutting edges. Noticed anything? They are not ground at an angle, but at right angles. Therefore you cannot cut yourself, only the large range of potential materials. long service life.



Stainless steel Comfortable working You will be able to use your The experts call them scissors for a very long "eyes" and these are the time as the metal parts two openings in which are made from stainless you insert your fingers to steel. The handles have securely hold the scissors. been coated in a plastic The "soft grip" on the inreinforced with fibreolass. sides also helps to ensure Another guarantee for a comfortable and non-slip

working.



Extra-long cutting edges Fast and controlled – you will cut through easily using the SECUMAX 564. Fast, thanks to the long cutting edges. Controlled, as the entire length from the finger opening to the tip can be used as a support surface.



Sturdy connection A matter of course for quality scissors: Both of the cutting edges are held together by a real screw. This ensures sturdy connection and permanent high cutting power.



SECUMAX 564 1 on self-service card (10 scissors in multipack)

ORDER NO.

NO. 564001.00

# SECUMAX 363 NO. 363001.00

### Precise to the millimeter. In many regards.

Our safety scissors for extra fine and targeted cuts. It is playfully easy to direct, using your thumb and forefinger only. And just like its big brothers, the lightweight cuts through cardboard, paper, film, fabrics, yarn and strapping band. Your fingers and hand are protected against injuries by the special way the scissors have been sharpened in addition to the rounded tips.



Videos

 $\square$ 

Application



PRODUCT FEATURES NO. 363001.00



» all cutting materials from page 131 onwards

### PRODUCT DETAILS


| Scissors size (L x W x H)           | 134 x 8 x 65.5 mm |
|-------------------------------------|-------------------|
| Main material                       | Stainless steel   |
| Weight                              | 36.8 g            |
| Weight per unit (self-service card) | 48.3 g            |

### ACCESSORIES ORDER NO. A BELT HOLSTER M WITH CLIP NO. 9921.08

» further information from page 121 onwards

martor







44

Stainless steel Sharp, but not dangerous Take a look at the cutting edges. Noticed anything? They are not ground at an angle, but at right angles. Therefore you cannot cut yourself, only the large range of potential materials. long service life.



Comfortable working You will be able to use your The experts call them scissors for a very long "eyes" and these are the time as the metal parts small openings in which are made from stainless you insert your fingers to steel. The handles have securely hold the scissors. been coated in a plastic The "soft grip" on the inreinforced with fibreolass. sides also helps to ensure Another guarantee for a comfortable and non-slip working.

martor



Short cutting

In brief: this is true pre-

SECUMAX 363 especially

suitable for precise, so-

phisticated cutting. The

you want to cut in the

smallest corners.

cision! This makes the

Sturdy connection A matter of course for quality scissors: Both of the cutting edges are held together by a real screw. This ensures sturdy conscissors will not drift away nection and permanent from your line, even when high cutting power.



1 on self-service card (10 scissors in multipack)

ORDER NO.

NO. 363001.00

# Fully automatic blade retraction

The intelligent cutting tool: as soon as the blade leaves the cutting material, it withdraws fully automatically into the handle – without you having to do anything. That's what we call "a very high degree of safety".

# SECUPRO 625 NO. 625001.02

### Long lever. Long blade. Long-lasting enjoyment. With rounded-tip trapezoid blade.


The SECUPRO 625 is at the forefront of our ergonomic squeeze-grip knives. Its aspiration is very clear: premium. Because it offers all that professional users require: an aluminium handle, an easy and smooth lever to release the blade, a large cutting depth combined with a very high safety due to the fully automatic blade retraction and a comfortable blade change. All in all, you will know that you have a high-end cutting tool in your hands.




Videos

 $\square$ 

Application





P D LOGO 0.0 Main cutting materials ∑ PVC □ 躍 P -----9  $\sim$ » all cutting materials from page 131 onwards

| PF | ROD | UCT | DET | AILS |
|----|-----|-----|-----|------|
|    |     |     |     |      |

Technical features


| Knife size (L x W x H)            | 154 x 22 x 67 mm |
|-----------------------------------|------------------|
| Main material                     | Aluminium        |
| Weight                            | 151.0 g          |
| Weight per unit (single unit box) | 165.0 g          |

| ACCE | SSORIES                                 | ORDER NO.     |
|------|-----------------------------------------|---------------|
| 8    | BELT HOLSTER L WITH CLIP                | NO. 9922.08   |
| Ô    | USED BLADE CONTAINER                    | NO. 9810.08   |
|      | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| 0    | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards









Excellent ergonomics We have rarely produced a cutting tool before that fits

so perfectly into the heavy users hand as the SECUPRO 625. The long and smooth lever, the round shape of the handle and the soft grip at the back of the knife it's more than worth testing it!



Robust and balanced You can see and feel that

the handle is made of high-quality aluminium. Its robust construction goes hand in hand with an optimal weight distribution. Consequently, there's almost no risk of weakening for tool and user. Not even when cutting very heavily.

marto



### Large cutting depth The long blade extension is

The overall package of ideal for cutting up to 3-ply the SECUPRO 625 is quite cardboard boxes, rubber, unique – and so are all separate features. Even material on reels and many more applications. The saw cutting is safe – thanks to the protecting blade can be changed in a few steps – by operating blade retraction. And you the blade change button can enlarge the number of and pressing the lever, it different application areas can be easily pulled out. by simply installing one of the optional blades.

For many cutting types



Safe along the line While you rely on the blade retraction at the front part of the handle, there's another safety feature built in for even more protection. You can lock the lever and thus avoid that the blade is

released unintentionally.

| LL MODELS |                                                                                                                 |
|-----------|-----------------------------------------------------------------------------------------------------------------|
|           | SECUPRO 625 with TRAPEZOID BLADE NO. 60095<br>and 15 mm cutting depth<br>1 in single unit box (10 in multipack) |
|           | SECUPRO 625 with TRAPEZOID BLADE NO. 60099                                                                      |

60099 NO. 625001.02 and 21 mm cutting depth. 1 in single unit box (10 in multipack)

ORDER NO.

NO. 625095.02

| MOUNTABLE BLADES                       |                                                                                                 | ORDER NO.    |
|----------------------------------------|-------------------------------------------------------------------------------------------------|--------------|
| 00                                     | TRAPEZOID BLADE NO. 60099<br>0.63 mm, rounded blade tips, deep-edged,<br>10 in dispenser        | NO. 60099.70 |
| 00 00                                  | TRAPEZOID BLADE NO. 99<br>0.63 mm, deep-edged, 10 in dispenser                                  | NO. 99.70    |
| 00 00                                  | TRAPEZOID BLADE NO. 199<br>0.63 mm, deep-edged, stainless,<br>10 in dispenser                   | NO. 199.70   |
| <u> </u>                               | TRAPEZOID BLADE NO. 60095<br>0.63 mm, rounded blade tips, deep-edged,<br>10 in transparent pack | NO. 60095.70 |
| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | HOOK BLADE NO. 98<br>0.63 mm, 10 in dispenser                                                   | NO. 98.70    |

### PRODUCT FEATURES NO. 625001.02

# SECUPRO 625 NO. 625095.02

### Long lever. Short blade. Long-lasting enjoyment. With rounded trapezoid blade.


The SECUPRO 625 with short blade extension is also one of our best ergonomic squeeze-grip knives. Its aspiration is very clear: premium. Because it offers all that professional users require: an aluminium handle, an easy and smooth lever to release the blade, shorter cutting depth combined with a very high safety due to the fully automatic blade retraction and a comfortable blade change. All in all, you will know that you have a high-end cutting tool in your hands.




Videos

 $\left[ \right]_{i}$ 

Application







» all cutting materials from page 131 onwards

### PRODUCT DETAILS

Technical features


| Knife size (L x W x H)            | 154 x 22 x 59 mm |
|-----------------------------------|------------------|
| Main material                     | Aluminium        |
| Weight                            | 151.0 g          |
| Weight per unit (single unit box) | 165.0 g          |

| ACCE | SSORIES                                 | ORDER NO.     |
|------|-----------------------------------------|---------------|
| 8    | BELT HOLSTER L WITH CLIP                | NO. 9922.08   |
| Ō    | USED BLADE CONTAINER                    | NO. 9810.08   |
|      | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| 0    | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards







### Excellent ergonomics We have rarely produced a cutting tool before that fits so perfectly into the heavy

users hand as the SECUPRO 625. The long and smooth lever, the round shape of the handle and the soft grip at the back of the knife - it's more than worth testing it!

50



### Robust and balanced You can see and feel that

the handle is made of changes in cutting direction high-quality aluminium. Its present no problems for robust construction goes the SECUPRO 625 with its hand in hand with an opshort trapezoidal blade. timal weight distribution. This makes the knife ideal Consequently, there's alfor high-resistance cutting most no risk of weakening tasks, e.g. rubber or matefor tool and user. Not even rial off a roll. when cutting very heavily.

marto



For heavy-duty use

### Goods protection Tough cutting materials or With a cutting depth of "just" 15 mm, most types of packaging can be opened without the blade coming into contact with the contents. Extra protection is also provided by the rounded blade tip.

Safe along the line While you rely on the blade retraction at the front part of the handle, there's another safety feature built in for even more protection. You can lock the lever and

thus avoid that the blade is

released unintentionally.

| , | ALL MODELS |                                                                                                                 |
|---|------------|-----------------------------------------------------------------------------------------------------------------|
|   |            | SECUPRO 625 with TRAPEZOID BLADE NO. 60095<br>and 15 mm cutting depth<br>1 in single unit box (10 in multipack) |
|   |            | SECUPRO 625 with TRAPEZOID BLADE NO. 60099                                                                      |



### ORDER NO. MOUNTABLE BLADES ORDER NO. TRAPEZOID BLADE NO. 60095 NO. 60095.70 00 NO. 625095.02 0.63 mm, rounded blade tips, deep-edged, TRAPEZOID BLADE NO. 60099 NO. 60099.70 / 00 ) NO. 625001.02 0.63 mm, rounded blade tips, deep-edged, 10 in dispenser TRAPEZOID BLADE NO. 99 NO. 99.70 0.63 mm, deep-edged, 10 in dispense TRAPEZOID BLADE NO. 199 NO 199 70 ~~~~~ 0.63 mm, deep-edged, stainless, 10 in dispense


HOOK BLADE NO. 98 0.63 mm, 10 in dispense

marto









NO. 98.70

# SECUPRO MARTEGO NO. 122001.02


### For highest demands.

A cutting tool in which function and design go hand in hand? Meet the SECUPRO MARTEGO, our prize winning squeezegrip safety knife with fully automatic blade retraction. Get used to the word "very" in its presence: it's very safe, very robust, very ergonomic, very versatile, and made to very high standards. This knife is not only suitable for both right and left-handed users, but also for those with larger hands.



Videos

 $\square$  Application



PRODUCT FEATURES NO. 122001.02



» all cutting materials from page 131 onwards

### PRODUCT DETAILS

| Knife size (L x W x H)            | 155 x 18 x 48.5 mm |
|-----------------------------------|--------------------|
| Main material                     | Aluminium          |
| Weight                            | 105.0 g            |
| Weight per unit (single unit box) | 124.0 g            |

| ACCE | SSORIES                                 | ORDER NO.     |
|------|-----------------------------------------|---------------|
| 8    | BELT HOLSTER M WITH CLIP                | NO. 9921.08   |
| Ô    | USED BLADE CONTAINER                    | NO. 9810.08   |
|      | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| 0    | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards



You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUPRO MARTEGO, this is the CERAMIC BLADE NO. 92C.





52

Perfect handling The advantages of the SECUPRO MARTEGO lie in your hands. The ergonomic squeeze-grip, the soft grip for better handling, the "pre-set" cutting edge: these three factors guarantee an ergonomic experience.



Change safely When you need to change the blade, you can do so without any additional tools. Here, the "attraction" of the SECUPRO MARTEGO is revealed: the integrated magnet ensures that the blade cannot fall out.



Blade lock for extra pro-Everything under control It's all about aluminium. tection The powder-coated metal Your SECUPRO MARTEGO body does not only conaccompanies you on your tribute to the SECUPRO job at every cut and turn? MARTEGO's extraordinary Glad to hear it. But always design. It credits the safety press the blue blade lock knife with extreme robustwhen vou've finished cutting! This way the blade ness and durability. cannot make a surprise

appearance.



4-cutting edge blade The Solingen quality blade,

with its four sharp edges, can be rotated multiple times. It's worth it! In the meantime, a relatively small cutting depth protects your goods from unnecessary damage.



ORDER NO SECUPRO MARTEGO with INDUSTRIAL BLADE NO. 92 NO. 122001.02 1 in single unit box (10 in multipack)

| MOUNTAE | BLE BLADES                                                                           | ORDER NO.    |
|---------|--------------------------------------------------------------------------------------|--------------|
| 0       | INDUSTRIAL BLADE NO. 92<br>0.40 mm, 10 in safety dispenser                           | NO. 92.66    |
| 0       | CERAMIC BLADE NO. 92C<br>0.50 mm, ceramic, 2 on self-service card                    | NO. 1792.25  |
| 0       | INDUSTRIAL BLADE NO. 192<br>0.40 mm, stainless, 10 in safety dispenser               | NO. 192.66   |
| -       | INDUSTRIAL BLADE NO. 60092<br>0.40 mm, rounded blade tips,<br>10 in safety dispenser | NO. 60092.66 |



# **SECUPRO MERAK** NO. 124001.02


### Safety, comfort? Everything under (lockable) control!

The SECUPRO MERAK is our practical squeeze-grip safety knife with fully automatic blade retraction. With SECUPRO MARTEGO's "little brother" we have thought about one thing in particular: you. The lightweight and user friendly SECUPRO MERAK lets you work safely, with little risk of cutting exhaustion. And there's much more: thanks to a shallow cutting depth, your goods are also well protected. No matter what material you cut.



Videos

 $\left[ \sum_{i} \right]$  Application



Technical features  $[\mathcal{I}]$ 

PRODUCT FEATURES NO. 124001.02

\_' '\_ LOGO 0 Main cutting materials \*\*\*\*

» all cutting materials from page 131 onwards

### PRODUCT DETAILS

| Knife size (L x W x H)            | 128 x 18 x 50 mm                  |
|-----------------------------------|-----------------------------------|
| Main material                     | Glass fibre reinforced<br>plastic |
| Weight                            | 59.0 g                            |
| Weight per unit (single unit box) | 75.8 g                            |
|                                   |                                   |

| ACCESSORIES |                                         | ORDER NO.     |
|-------------|-----------------------------------------|---------------|
| 8           | BELT HOLSTER M WITH CLIP                | NO. 9921.08   |
| Ô           | USED BLADE CONTAINER                    | NO. 9810.08   |
|             | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| $\sim$      | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards



ORDER NO.

NO. 124001.02

You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUPRO MERAK, this is the CERAMIC BLADE NO. 92C.



vate and release the lever

is appropriately minimal,

even at high cutting fre-

quencies.

54

Ergonomic form Whether with the right hand or the left hand: you will use the SECUPRO MERAK gladly and effectively. The safety knife is shaped with ergonomics in mind, and the force required to acti-



Light and stable Safe blade change You can change your blade without any additional tools, and without dismantling the SECUPRO MERAK. You have nothing to lose: an integrated magnet prevents the blade from falling out. wear and tear.



martor

Press for safety A particularly abrasion You can prevent unintenresistant plastic has been tional blade activity by used for the SECUPRO activating the small blue MERAK. Nevertheless, it blade lock. Simply press has a comfortable weight. against the pictured lock to Your cutting arm is proprotect yourself from injury tected from fatique, and whenever your knife is your safety knife from stationary



VPA S


IGR Internet

4-cutting edge blade One blade, four sharp edges. You clearly get more out of your blade; four times more in fact. Rotating the blade allows you to cut with a constant cutting force, all the way through your work day.



SECUPRO MERAK with INDUSTRIAL BLADE NO. 92 in single unit box (10 in multipack)

| MOUNTAB | LE BLADES                                                                            | ORDER NO.    |
|---------|--------------------------------------------------------------------------------------|--------------|
| 0       | INDUSTRIAL BLADE NO. 92<br>0.40 mm, 10 in safety dispenser                           | NO. 92.66    |
| 0       | CERAMIC BLADE NO. 92C<br>0.50 mm, ceramic, 2 on self-service card                    | NO. 1792.25  |
| 0       | INDUSTRIAL BLADE NO. 192<br>0.40 mm, stainless, 10 in safety dispenser               | NO. 192.66   |
| -       | INDUSTRIAL BLADE NO. 60092<br>0.40 mm, rounded blade tips,<br>10 in safety dispenser | NO. 60092.66 |







# SECUPRO MEGASAFE NO. 116006.02

### Quality that's visible. With rounded-tip trapezoid blade.

Would you like to have a safety knife with a large blade extension? Or are you looking for a cutting tool that can cope with the toughest of tasks? In both cases, the SECUPRO MEGASAFE is an excellent choice. Thanks to a cutting depth of up to 17 mm, this knife doesn't shy away from a challenge. And no matter your task, safety is always guaranteed; the fully automatic blade retraction functions even when you decide not to extend the blade. Rounded blade tips round off the package




Videos

 $\left[ \right]_{i}$ 

Application







» all cutting materials from page 131 onward

PRODUCT FEATURES NO. 116006.02

### PRODUCT DETAILS

Technical features

 $[\mathcal{I}]$ 

| Knife size (L x W x H)            | 153 x 26 x 38 mm |
|-----------------------------------|------------------|
| Main material                     | Aluminium        |
| Weight                            | 142.0 g          |
| Weight per unit (single unit box) | 160.0 g          |

| ACCE   | SSORIES                                 | ORDER NO.     |
|--------|-----------------------------------------|---------------|
| 8      | BELT HOLSTER M WITH CLIP                | NO. 9921.08   |
| Ô      | USED BLADE CONTAINER                    | NO. 9810.08   |
|        | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| $\sim$ | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards



ORDER NO

NO. 116001.02

NO. 116004.02

NO. 116002.02

You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUPRO MEGASAFE, this is the CERAMIC BLADE NO. 60099C








Robust handle

56

Change without opening The body of our top quality Blade change is easy and SECUPRO MEGASAFE is safe. Simply push down on 100% aluminium. And ultithe back end of the rockmately, 100% robust. You er device located on the can master all manner of topside of the safety knife, standard cutting materials and push the slider comwith this safety knife. Even pletely forward. The blade is ready for changing. multi-layered ones.



Perfect handling Double-sided slider The lightly rounded handle With the right hand? With fits particularly well in your the left hand? No need hand. Your thumb doesn't to ask this guestion! The get a raw deal either: soft SECLIPRO MEGASAFE is grip on the the slider makes fitted with a slider that's for a pleasant, slip-resistant accessible from both sides. resting pad. Choose for yourself!



2-cutting edge blade Before you need to change the quality blade, you have the chance to turn it over once. Usage time of the blade is doubled and fatigue is held at bay: with a simple flip of the blade, your SECUPRO MEGASAFE will cut like new.





SECUPRO MEGASAFE with TRAPEZOID BLADE NO. 99 in single unit box (10 in multipack)



SECUPRO MEGASAFE with HOOK BLADE NO. 98 1 in single unit box (10 in multipac

### MOUNTABLE BLADES ORDER NO. TRAPEZOID BLADE NO. 60099 NO. 60099.70 00 0.63 mm, rounded blade tips, deep-edged CERAMIC BLADE NO. 60099C NO. 1760099.25 00 0.65 mm, ceramic, rounded blade tips, deep-edged, 2 on self-service card TRAPEZOID BLADE NO. 99 •0 0• 0.63 mm, deep-edged, 10 in dispenser NO. 99.70 TRAPEZOID BLADE NO. 199 NO 199 70 $\langle a \rangle \langle a \rangle$ 0.63 mm, deep-edged, stainless 10 in disnenser HOOK BLADE NO. 98 NO. 98.70 0.63 mm, 10 in dispense



marto

# SECUPRO MAXISAFE NO. 10130610.02

### Perfect handling - from every side. With rounded-tip trapezoid blade.

The SECUPRO MAXISAFE has been making an impression for more than 15 years due to its lightness and wide range of applications. The safety knife has now reached new levels of ergonomic design. Just hold the 3-sided slider in your hand and try it out ... notice the difference? And it still has all the tried and tested features - such as fully automatic blade retraction and a robust handle made from high-quality plastic.





Videos

 $\left[ \right]_{i}$ 

martor

Application







PRODUCT FEATURES NO. 10130610.02



» all cutting materials from page 131 onwards

### PRODUCT DETAILS

Technical features

| Knife size (L x W x H)            | 148 x 18 x 42 mm                  |
|-----------------------------------|-----------------------------------|
| Main material                     | Glass fibre reinforced<br>plastic |
| Weight                            | 66.0 g                            |
| Weight per unit (single unit box) | 83.5 g                            |

| ACCE | SSORIES                                 | ORDER NO.     |
|------|-----------------------------------------|---------------|
| 8    | BELT HOLSTER S WITH CLIP                | NO. 9920.08   |
| 8    | HOLSTER LARGE                           | NO. 9843.08   |
| Ô    | USED BLADE CONTAINER                    | NO. 9810.08   |
|      | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| 0    | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards



You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUPRO MAXISAFE, this is the CERAMIC BLADE NO. 60099C.



Ergonomic handle The plastic handle now sits even better in the hand thanks mainly to the new shape of the knife's back. The slider and blade change button have also been improved for efficient operation

58



3-sided slider From the right? From the left? From above? Reenough to change the gardless of how you want to activate the blade, all options are available with the SECUPRO MAXISAFE. What's more, the 3-sided slider is now grooved for blade. It's that easy.



At the press of a button Metal guard Your two hands alone are SECUPRO MAXISAFE is not afraid of a little friction. A blade. And these short inmetal abrasion protection structions: press the blade shield, found on the underchange button and swing side of the knife head, open the handle. Push the works to prevent any blade carrier to the front general wear and tear as and you can change the you cut your path through the day.



2-cutting edge blade Don't change your blade the moment the tip turns blunt. Double the usage time of your blades and minimize wastage by always remembering to flip them over. Don't forget: there are two sides to every blade!



ALL MODELS

1 in single unit box (10 in multipack)

SECUPRO MAXISAFE with TRAPEZOID BLADE NO. 99 NO. 10139910.02 in single unit box (10 in multipack)

ORDER NO

| MOUNTABLE BLADES                                                                                                                  | ORDER NO.      |
|-----------------------------------------------------------------------------------------------------------------------------------|----------------|
| O O     TRAPEZOID BLADE NO. 60099     0.63 mm, rounded blade tips, deep-edged,     10 in dispenser                                | NO. 60099.70   |
| O O         CERAMIC BLADE NO. 60099C           0.65 mm, ceramic, rounded blade tips, deep-edged,           2 on self-service card | NO. 1760099.25 |
| •0 0• 0.63 mm, deep-edged, 10 in dispenser                                                                                        | NO. 99.70      |
| TRAPEZOID BLADE NO. 199           0.0         0.63 mm, deep-edged, stainless,           10 in dispenser                           | NO. 199.70     |
| HOOK BLADE NO. 98<br>0.63 mm, 10 in dispenser                                                                                     | NO. 98.70      |



better grip.

# SECUPRO MAXISAFE NO. 10150610.02

### Perfect handling - from every side. With metal cap and rounded-tip trapezoid blade.

The SECUPRO MAXISAFE has been making an impression for more than 15 years due to its lightness and wide range of applications. The safety knife has now reached new levels of ergonomic design. Just hold the 3-sided slider in your hand and try it out ... notice the difference? And it still has all the tried and tested features - such as fully automatic blade retraction, a robust handle made from high-quality plastic or the additional metal cap.





Videos

 $\left[ \right]_{i}$ 

martor

Application





 $\square$ 60 al Main cutting materials 



PRODUCT FEATURES NO. 10150610.02

» all cutting materials from page 131 onwards

### PRODUCT DETAILS

Technical features

| 148 x 20 x 44 mm                  |  |
|-----------------------------------|--|
| Glass fibre reinforced<br>plastic |  |
| 80.7 g                            |  |
| 97.5 g                            |  |
|                                   |  |

| ACCE | SSORIES                                 | ORDER NO.     |
|------|-----------------------------------------|---------------|
| 8    | BELT HOLSTER S WITH CLIP                | NO. 9920.08   |
| Ī    | HOLSTER LARGE                           | NO. 9843.08   |
| Ô    | USED BLADE CONTAINER                    | NO. 9810.08   |
|      | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |
| 0    | SAFEBOX                                 | NO. 108000.00 |

» further information from page 121 onwards



You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUPRO MAXISAFE, this is the CERAMIC BLADE NO. 60099C.



Ergonomic handle The plastic handle now sits even better in the hand thanks mainly to the new shape of the knife's back. The slider and blade change button have also been improved for efficient operation

60



.

3-sided slider At the press of a button From the right? From the Your two hands alone are left? From above? Reenough to change the gardless of how you want blade. And these short instructions: press the blade to activate the blade, all options are available with change button and swing the SECUPRO MAXISAFE. open the handle. Push the What's more, the 3-sided blade carrier to the front slider is now grooved for and you can change the blade. It's that easy.



No abrasion SECUPRO MAXISAFE is not afraid of a little friction. A metal abrasion protection cap, found on the underside of the knife head, works to prevent any general wear and tear as you cut your path through the day.



2-cutting edge blade Don't change your blade the moment the tip turns blunt. Double the usage time of your blades and minimize wastage by always remembering to flip them over. Don't forget: there are two sides to every blade!



SECUPRO MAXISAFE with metal cap and TRAPEZOID BLADE NO. 60099

NO. 10150610.02 1 in single unit box (10 in multipack)

ORDER NO

|   | MOUNTABLE BLADES                                                                                        | ORDER NO.      |
|---|---------------------------------------------------------------------------------------------------------|----------------|
| 2 | 0.63 mm, rounded blade tips, deep-edged,<br>10 in dispenser                                             | NO. 60099.70   |
|   | CERAMIC BLADE NO. 60099C<br>0.65 mm, ceramic, rounded blade tips, deep-edged,<br>2 on self-service card | NO. 1760099.25 |
|   | 0.63 mm, deep-edged, 10 in dispenser                                                                    | NO. 99.70      |
|   | •O O•<br>10 in dispenser                                                                                | NO. 199.70     |
|   | HOOK BLADE NO. 98<br>0.63 mm, 10 in dispenser                                                           | NO. 98.70      |



better grip.

# Automatic blade retraction

Thumbs up for a high degree of safety. As soon as you start cutting, remove your thumb from the slider. The blade will disappear into the handle the moment it loses contact with the material being cut.

# **SECUNORM 500** NO. 50000110.02


### The safety knife. With rounded-tip trapezoid blade.

Over 40 years ago the SECUNORM PROFI set standards in safety, robustness and ergonomics. Its successor goes several steps further. For example, the new aluminium handle significantly improves handling and makes cutting easier, the new slider can be operated from both sides and the blade change has been made so much simpler. Apart from these improvements, the proven automatic blade retraction will continue to protect you from cutting injuries.



Videos

 $\left[ \right]_{i}$  Application



PRODUCT FEATURES NO. 50000110.02





» all cutting materials from page 131 onwards

### PRODUCT DETAILS

| Knife size (L x W x H)            | 143 x 16 x 36 mm |
|-----------------------------------|------------------|
| Main material                     | Aluminium        |
| Weight                            | 72.5 g           |
| Weight per unit (single unit box) | 86.0 g           |

# ACCESSORIES ORDER NO.

» further information from page 121 onwards



You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUNORM 500, this is the CERAMIC BLADE NO. 65232C.



### Ergonomic handle The excellent ergonomics can be felt all over the SECUNORM 500, for example in the newly shaped handle which fits comfortably into the hand. Or in details such as the nicely rounded knife end or the

non-slip soft grip on the

### Abrasion resistant The robust aluminium handle is designed for the most demanding and frequent cutting tasks. Like its popular predecessor, it is a tough all-rounder capable of taking on any cutting challenge.

Double-sided slider With the predecessor, the SECUNORM PROFI, there were both left and right handed models. With the modern successor, anvone can cut effectively – with the ability to change hands when the task requires it.



GERMAN DERSIGN AWARD WINNER 2020

Tool-less blade change Blade changing without tools. The SECUNORM 500 comes with an intuitively operated blade change button. Press once to remove the blade carrier with its securely held blade.

martor

Blade changing made easy The blade cover remains in the required position when opened. The blade is then easy to access and is removed using the bladeless edge, avoiding risk of injury

**VPA** 

|   | SECUNORM 500 with TRAPEZOID BLADE NO. 65232<br>1 in single unit box (10 in multipack) |
|---|---------------------------------------------------------------------------------------|
| - | SECUNORM 500 with TRAPEZOID BLADE NO. 5232<br>1 in single unit box (10 in multipack)  |
|   | SECUNORM 500 with HOOK BLADE NO. 56<br>1 in single unit box (10 in multipack)         |
|   | This single on took (To in motopack)                                                  |

ALL MODELS

SECUNORM 500 with HOOK BLADE NO. 5634 1 in single unit box (10 in multipack)

# ORDER NO. NO. 50000110.02 NO. 50000410.02 NO. 50001010.02

NO. 50000910.02

|                                        | 2 on self-service card                                                        |             |
|----------------------------------------|-------------------------------------------------------------------------------|-------------|
|                                        | TRAPEZOID BLADE NO. 5232<br>0.63 mm, deep-edged, 10 in dispenser              | NO. 5232.70 |
|                                        | TRAPEZOID BLADE NO. 5233<br>0.63 mm, 1-sided ground-edge, 10 in dispenser     | NO. 5233.70 |
|                                        | TRAPEZOID BLADE NO. 610<br>0.63 mm, stainless, 10 in dispenser                | NO. 610.70  |
| <u>0</u>                               | TRAPEZOID BLADE NO. 852<br>0.63 mm, stainless, TiN-coated,<br>5 paper-wrapped | NO. 852.42  |
| (~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | HOOK BLADE NO. 56<br>0.63 mm, 10 in dispenser                                 | NO. 56.70   |
| $\langle \cdot \circ \cdot \rangle$    | HOOK BLADE NO. 5634<br>0.63 mm, rounded blade tips,                           | NO. 5634.70 |

10 in dispenser

martor

» All blades from page 134 onwards



| 8 | BELT HOLSTER S WITH CLIP                   | NO. 9920.08   |
|---|--------------------------------------------|---------------|
| 1 | HOLSTER SMALL                              | NO. 9842.08   |
| Ô | USED BLADE CONTAINER                       | NO. 9810.08   |
|   | WALL MOUNT BRACKET USED BLADE<br>CONTAINER | NO. 9845.06   |
| 0 | SAFEBOX                                    | NO. 108000.00 |



| MOUNTABLE BLADES |                                                                                                         | ORDER NO.      |
|------------------|---------------------------------------------------------------------------------------------------------|----------------|
|                  | TRAPEZOID BLADE NO. 65232<br>0.63 mm, rounded blade tips, deep-edged,<br>10 in dispenser                | NO. 65232.70   |
| <u> </u>         | CERAMIC BLADE NO. 65232C<br>0.65 mm, ceramic, rounded blade tips, deep-edged,<br>2 on self-service card | NO. 1765232.25 |
|                  | TRAPEZOID BLADE NO. 5232<br>0.63 mm, deep-edged, 10 in dispenser                                        | NO. 5232.70    |
|                  | TRAPEZOID BLADE NO. 5233<br>0.63 mm, 1-sided ground-edge, 10 in dispenser                               | NO. 5233.70    |
|                  | TRAPEZOID BLADE NO. 610<br>0.63 mm, stainless, 10 in dispenser                                          | NO. 610.70     |
| /···             | TRAPEZOID BLADE NO. 852<br>0.63 mm, stainless, TiN-coated,                                              | NO. 852.42     |

65

martor

slider.

# **SECUNORM 500** NO. 50000210.02

### The safety knife. With rounded-tip trapezoid blade and 9 mm cutting depth.


Over 40 years ago the SECUNORM PROFI set standards in safety, robustness and ergonomics. Its successor goes several steps further. For example, the new aluminium handle significantly improves handling and makes cutting easier, the new slider can be operated from both sides and the blade change has been made so much simpler. Apart from these improvements, the proven automatic blade retraction will continue to protect you from cutting injuries.



Videos

 $\left[ \right]_{i}$ 

Application



Technical features P  $\mathbb{P} \mathbb{P}$ Main cutting materials

PRODUCT FEATURES NO. 50000210.02



### PRODUCT DETAILS

| Knife size (L x W x H)            | 143 x 16 x 36 mm |
|-----------------------------------|------------------|
| Main material                     | Aluminium        |
| Weight                            | 72.5 g           |
| Weight per unit (single unit box) | 86.0 g           |

| ACCE | SSORIES                                 | ORDER NO.     |  |
|------|-----------------------------------------|---------------|--|
| 8    | BELT HOLSTER S WITH CLIP                | NO. 9920.08   |  |
| Î    | HOLSTER SMALL                           | NO. 9842.08   |  |
| Ô    | USED BLADE CONTAINER                    | NO. 9810.08   |  |
|      | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06   |  |
| 07   | SAFEBOX                                 | NO. 108000.00 |  |

» further information from page 121 onwards



You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUNORM 500, this is the CERAMIC BLADE NO. 65232C.



handle is designed for the most demanding and frequent cutting tasks. Like its popular predecessor, it is a tough all-rounder capable of taking on any cutting challenge.



were both left and right handed models. With the modern successor, anyone can cut effectively – with the ability to change hands when the task requires it.

Tool-less blade change Blade changing without tools. The SECUNORM 500 comes with an intuitively operated blade change button. Press once to remove the blade carrier with its securely held blade.



| MOUNTABLE BLADES |                                        | ILADES                                                                                                  | ORDER NO.      |
|------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------|----------------|
|                  | )                                      | TRAPEZOID BLADE NO. 65232<br>0.63 mm, rounded blade tips, deep-edged,<br>10 in dispenser                | NO. 65232.70   |
|                  | 0                                      | CERAMIC BLADE NO. 65232C<br>0.65 mm, ceramic, rounded blade tips, deep-edged,<br>2 on self-service card | NO. 1765232.25 |
|                  |                                        | TRAPEZOID BLADE NO. 5232<br>0.63 mm, deep-edged, 10 in dispenser                                        | NO. 5232.70    |
|                  | O                                      | TRAPEZOID BLADE NO. 5233<br>0.63 mm, 1-sided ground-edge, 10 in dispenser                               | NO. 5233.70    |
|                  |                                        | TRAPEZOID BLADE NO. 610<br>0.63 mm, stainless, 10 in dispenser                                          | NO. 610.70     |
|                  | O                                      | TRAPEZOID BLADE NO. 852<br>0.63 mm, stainless, TiN-coated,<br>5 paper-wrapped                           | NO. 852.42     |
|                  | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | HOOK BLADE NO. 56<br>0.63 mm, 10 in dispenser                                                           | NO. 56.70      |
|                  | $\langle \cdot \circ \cdot \rangle$    | HOOK BLADE NO. 5634<br>0.63 mm, rounded blade tips,<br>10 in dispenser                                  | NO. 5634.70    |

» All blades from page 134 onwards

martor





slider.

To protect your products

With the shortened blade,

products. This means you

can work without having

cutting depth. The handle

narrows at the tip so that

the cutting point is always

in view.

66

to constantly check the

you avoid contact with your

Ergonomic handle

ple in the newly shaped

handle which fits comfort-

ably into the hand. Or in

details such as the nicely

rounded knife end or the

non-slip soft grip on the

marto

# **SECUNORM 500** NO. 50000310.02

### The safety knife. With rounded-tip trapezoid blade and 5 mm cutting depth.

Over 40 years ago the SECUNORM PROFI set standards in safety, robustness and ergonomics. Its successor goes several steps further. For example, the new aluminium handle significantly improves handling and makes cutting easier, the new slider can be operated from both sides and the blade change has been made so much simpler. Apart from these improvements, the proven automatic blade retraction will continue to protect you from cutting injuries.



Videos

 $\left[ \right]_{i}$ 

Application



Technical features 

Main cutting materials

~~~~  $\sim$ » all cutting materials from page 131 onwards

PRODUCT FEATURES NO. 50000310.02

PRODUCT DETAILS

| Knife size (L x W x H) | 143 x 16 x 36 mm | |
|-----------------------------------|------------------|--|
| Main material | Aluminium | |
| Weight | 72.5 g | |
| Weight per unit (single unit box) | 86.0 g | |

| ACCE | SSORIES | ORDER NO. | |
|------|---|---------------|--|
| 8 | BELT HOLSTER S WITH CLIP | NO. 9920.08 | |
| Î | HOLSTER SMALL | NO. 9842.08 | |
| Ô | USED BLADE CONTAINER | NO. 9810.08 | |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 | |
| 07 | SAFEBOX | NO. 108000.00 | |

» further information from page 121 onwards



Z

ORDER NO.

You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUNORM 500, this is the CERAMIC BLADE NO. 65232C.



| ~~~~~ <u>~~~~</u> | TRAPEZOID BLADE NO. 610
0.63 mm, stainless, 10 in dispenser | NO. 610.70 |
|-------------------|---|------------|
| | TRAPEZOID BLADE NO. 852
0.63 mm, stainless, TiN-coated,
5 paper-wrapped | NO. 852.42 |
| ~~~ | HOOK BLADE NO. 56
0.63 mm, 10 in dispenser | NO. 56.70 |

HOOK BLADE NO. 5634 $\langle \cdot \circ \cdot \rangle$ 0.63 mm, rounded blade tips, 10 in dispenser

» All blades from page 134 onwards

marto







in view.

68

To protect your products Ergonomic handle With the shortened blade, The excellent ergonomics you avoid contact with your can be felt all over the SECUNORM 500, for examproducts. This means you can work without having ple in the newly shaped to constantly check the handle which fits comfortcutting depth. The handle ably into the hand. Or in details such as the nicely narrows at the tip so that the cutting point is always rounded knife end or the non-slip soft grip on the slider



marto

Abrasion resistant Double-sided slider The robust aluminium With the predecessor, the handle is designed for the SECUNORM PROFI, there most demanding and frewere both left and right quent cutting tasks. Like its handed models. With the popular predecessor, it is a modern successor, anyone tough all-rounder capable can cut effectively – with of taking on any cutting the ability to change hands challenge. when the task requires it.



Tool-less blade change Blade changing without tools. The SECUNORM 500 comes with an intuitively operated blade change button. Press once to remove the blade carrier with its securely held blade

ALL MODELS SECUNORM 500 with TRAPEZOID BLADE NO. 65232 and 5 mm cutting depth NO. 50000310.02 1 in single unit box (10 in multipack) SECUNORM 500 with TRAPEZOID BLADE NO. 5232 and 7 mm cutting depth NO. 50000610.02 1 in single unit box (10 in multipack)

69

NO. 5634.70

SECUNORM 300 NO. 30000110.02

Surprisingly light. Convincingly good. With rounded-tip trapezoid blade.


The SECUNORM 300 is the SECUNORM 500's "little brother" and a further development of the SECUNORM PROFI LIGHT. It retains a pleasant lightness as well as the proven automatic blade retraction. You'll discover much more in the optimised SECUNORM 300 all-rounder. For example, the especially ergonomic design, an increased cutting depth, the new soft grip, and extremely user-friendly blade changing.




Videos


 \square

Application









PRODUCT FEATURES NO. 30000110.02





PRODUCT DETAILS

| Knife size (L x W x H) | 143 x 16 x 36 mm |
|-----------------------------------|-----------------------------------|
| Main material | Glass fibre reinforced
plastic |
| Weight | 52.0 g |
| Weight per unit (single unit box) | 66.0 g |

| ACCE | SSORIES | ORDER NO. |
|------|---|---------------|
| 8 | BELT HOLSTER S WITH CLIP | NO. 9920.08 |
| 1 | HOLSTER SMALL | NO. 9842.08 |
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |

» further information from page 121 onwards



MOUNTABLE BLADES

ORDER NO.

You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUNORM 300, this is the CERAMIC BLADE NO. 65232C.



Ergonomic handle The excellent ergonomics can be felt all over the SECUNORM 300, for example in the newly shaped handle which fits comfortably into the hand. Or in details such as the nicely rounded knife end or the non-slip soft grip on the slider.

70



Pleasantly light Like its predecessor, the SECUNORM 300 also impresses with its lightness. For just 52 grams you get a comfortable and versatile professional cutting tool.


martor



material.

Abrasion resistant Increased cutting depth The SECUNORM 300 is The increased cutting made of a glass fibre depth further expands the range of applications. Even reinforced plastic, making it particularly abrasion frequent cutting is easy – resistant. Your safety knife another benefit of the new therefore stays in top design with its outstanding form even when in heavy ergonomics. contact with the cutting

martor



VPA

Optimal blade changing Just pressing the blade change button allows you to remove the plastic insert with the blade. The click-in blade cover and integrated magnet make blade changing even easier and safer.





SECUNORM 300 con HOJA TRAPEZOIDAL NO. 65232 in single unit box (10 pieces in multipack SECUNORM 300 with TRAPEZOID BLADE NO. 5232 in single unit box (10 pieces in multipack)

| NO. 30000110.02 | <u>.</u> | TRAPEZOID BLADE NO. 65232
0.63 mm, rounded blade tips, deep-edged,
10 in dispenser | NO. 65232.70 |
|-----------------|--|---|----------------|
| NO. 30000410.02 | | CERAMIC BLADE NO. 65232C
0.65 mm, ceramic, rounded blade tips, deep-edged,
2 on self-service card | NO. 1765232.25 |
| | | TRAPEZOID BLADE NO. 5232
0.63 mm, deep-edged, 10 in dispenser | NO. 5232.70 |
| | | TRAPEZOID BLADE NO. 5233
0.63 mm, 1-sided ground-edge, 10 in dispenser | NO. 5233.70 |
| | | TRAPEZOID BLADE NO. 610
0.63 mm, stainless, 10 in dispenser | NO. 610.70 |
| | O | TRAPEZOID BLADE NO. 852
0.63 mm, stainless, TiN-coated,
5 paper-wrapped | NO. 852.42 |
| | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | HOOK BLADE NO. 56
0.63 mm, 10 in dispenser | NO. 56.70 |
| | $\langle \cdot \cdot \cdot \rangle$ | HOOK BLADE NO. 5634
0.63 mm, rounded blade tips, | NO. 5634.70 |

» All blades from page 134 onwards.

martor

10 in dispenser

71

ORDER NO.

SECUNORM 525 NO. 52500410.02

A versatile tool – with great qualities.


The SECUNORM 525 is a straightforward safety knife in every way. The ergonomic aluminium handle sits firmly and comfortably in the hand. Its robust design and large cutting depth of up to 21 mm means the SECUNORM 525 easily manages a variety of cutting materials, for example 3-ply cardboard. An unobstructed view of the blade also allows you to cut particularly precisely. In every task, the proven automatic blade retraction protects you from cutting injuries.



Videos

 \square

Application








 Image: state state

PRODUCT DETAILS

| Knife size (L x W x H) | 143 x 17 x 31 mm |
|-----------------------------------|------------------|
| Main material | Aluminium |
| Weight | 81,0 g |
| Weight per unit (single unit box) | 94,0 g |

| ACCE | SSORIES | ORDER NO. |
|------|---|---------------|
| 8 | BELT HOLSTER S WITH CLIP | NO. 9920.08 |
| 1 | HOLSTER SMALL | NO. 9842.08 |
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |

» further information from page 121 onwards



ORDER NO.

NO. 52500410.02

NO. 52501410.02

You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUNORM 525, this is the CERAMIC BLADE NO. 60099C.



Robust handle The aluminium handle is already familiar from the SECUNORM PROFI25. The handle and a newly developed plastic insert form a perfect team to ensure that your SECUNORM 525 is equipped to meet even the toughest tasks.



Optimised slider A firm hold and grip are typical MARTOR characteristics. The SECUNORM 525 is no different. Its slider has a grooved structure and is especially large giv-

ing the ideal conditions for

comfortable, "hands-on"

work - even when wear-

marto

ing gloves.



Safe blade changing Large cutting depth The blade change button The large cutting depth is gives easy access to the ideal for thicker cardboard, blade, which is also held material off a roll, rubber in place by a magnet. A and much more. But the further practical feature is SECUNORM 525 is not only that the blade cover can be very versatile, it can also lifted and locked in an open be relied on for high freposition. quency cutting tasks.



Secure hold For secure fastening, the SECUNORM 525 is equipped with a practical lanyard hole, another reason why

hole, another reason why it could become a constant companion. You then reduce risks two-fold: the risk of loss and the risk of cutting injuries.

| ALL MODELS | |
|------------|--|
| | SECUNORM 525 with TRAPEZOID BLADE NO. 99
1 in single unit box (10 in multipack) |
| | SECLINORM 525 with TRAPEZOID BLADE NO. 199 |

SECUNORM 525 with TRAPEZOID BLADE NO. 199 1 in single unit box (10 in multipack)

SECUNORM 525 with TRAPEZOID BLADE NO. 60099 NO. 52500110.02
1 in single unit box (10 in multipack)

| MOUNTABLE BLADES | ORDER NO. |
|---|----------------|
| TRAPEZOID BLADE NO. 99
0.63 mm, deep-edged, 10 in dispenser | NO. 99.70 |
| COD OC 0.63 mm, deep-edged, stainless,
10 in dispenser | NO. 199.70 |
| TRAPEZOID BLADE NO. 60099 0.63 mm, rounded blade tips, deep-edged, 10 in dispenser | NO. 60099.70 |
| CERAMIC BLADE NO. 60099C
0.65 mm, ceramic, rounded blade tips, deep-edged,
2 on self-service card | NO. 1760099.25 |
| HOOK BLADE NO. 98
0.63 mm, 10 in dispenser | NO. 98.70 |



VPA

72

marto

SECUNORM 540 NO. 54000410.02


Highly specialised – for many applications.

With its cutting depth of up to 36 mm, the SECUNORM 540 is in a field of its own. The MARTOR safety knife demonstrates its impressive strengths especially when cutting foam, polystyrene, paper rolls and bagged goods. For all its specialism, its robust and ergonomic aluminium handle is easy to hold and suitable for either hand. The proven automatic blade retraction protects you from cutting injuries.




Videos

Application



PRODUCT FEATURES NO. 54000410.02



» all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 143 x 17 x 31 mm |
|-----------------------------------|------------------|
| Main material | Aluminium |
| Weight | 79,0 g |
| Weight per unit (single unit box) | 92,0 g |

| ACCE | SSORIES | ORDER NO. |
|------|---|---------------|
| 8 | BELT HOLSTER S WITH CLIP | NO. 9920.08 |
| 1 | HOLSTER SMALL | NO. 9842.08 |
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |


» further information from page 121 onwards







Robust handle The aluminium handle is already familiar from the SECUNORM PROFI40. The handle and a newly developed plastic insert form a perfect team to ensure that your SECUNORM 540 is equipped to meet even the toughest tasks.



wearing gloves.

Optimised slider Safe blade changing A firm hold and grip are The blade change button typical MARTOR charactergives easy access to the istics. The SECUNORM 540 blade, which is also held is no different. Its slider in place by a magnet. A has a grooved structure and is especially large, giving the ideal conditions for comfortable, "handsposition. on" work – even when



 Safe blade changing
 Very large cutting depth

 The blade change button
 The extra-large cutting

 gives easy access to the
 depth is ideal for thick

 blade, which is also held
 materials such as foam and

 in place by a magnet. A
 polystyrene, but also for

 further practical feature is
 rasks such as cutting paper

 hat the blade cover can be
 rolls. The quality blade has

 position.
 breakage.



h Secure hold For secure fastening, the SECUNORM 540 is equipped and with a practical lanyard in hole, another reason why it could become a constant as companion. You then ref duce risks two-fold: the risk of loss and the risk of cutting injuries.

| ALL MODELS | |
|------------|--|
| - | SECUNORM 540 with STYROPOR BLADE NO. 7940
1 in single unit box (10 in multipack) |
| - | SECUNORM 540 with STYROPOR BLADE NO. 17940
1 in single unit box (10 in multipack) |

| ORDER NO. | MOUNTABLE BLADES | ORDER NO. |
|-----------------|---|--------------|
| NO. 54000410.02 | STYROPOR BLADE NO. 7940
0.50 mm, 71.2 mm long,
10 in transparent pack | NO. 7940.60 |
| NO. 54001410.02 | STYROPOR BLADE NO. 17940
0.50 mm, 71.2 mm long, stainless,
10 in transparent pack | NO. 17940.60 |

SECUNORM 380 NO. 380001.02


Our world debut. For special demands.


A long bladed safety knife? This has been a contradiction of terms for a very long time. Until now. The SECUNORM 380 is the first safety knife worldwide featuring automatic blade retraction AND a blade extension length of almost 8 cm. If you are looking for a low risk alternative to the usual fixed blade cutter, here is your answer. As an additional safety feature, we've included a transportation lock, to disable any unintended blade activity.




Videos

Application







» all cutting materials from page 131 onwards

PRODUCT FEATURES NO. 380001.02

PRODUCT DETAILS

Technical features

| Knife size (L x W x H) | 170.5 x 20 x 34 mm | |
|-----------------------------------|-----------------------------------|--|
| Main material | Glass fibre reinforced
plastic | |
| Weight | 78.0 g | |
| Weight per unit (single unit box) | 92.4 g | |
| ACCESSORIES | ORDER NO. | |
| BELT HOLSTER S WITH CLIP | NO 9920 08 | |

| 8 | | 1101 3320100 | |
|---|-------------------------------|--------------|--|
| Ô | USED BLADE CONTAINER | NO. 9810.08 | |
| | WALL MOUNT BRACKET USED BLADE | NO. 9845.06 | |

» further information from page 121 onwards





70% of original size



 Long blade extension
 Tool-less blade

 With a blade extension of exactly 7.8 cm, the word "long" is somewhat an understatement. This knife can be used to open sacks, separate polystyrene slabs...the list
 Tool-less blade

 vard "long" is somewhat an understatement. This knife can be used to open sacks, separate polystyrene slabs...the list
 Gown on the s change activat the capping er safety knife, al swing downwa utimately allow remove the bla and the blade.

76



 Tool-less blade change
 Ergonomic handle

 To change the blade, simply
 It goes without saying, the follow the arrow. Pressing down on the small blade
 more regonomic the handle, the easier it is to cut.

 change activator releases
 The SECUNORM 380 with is curved shape, carefully safety knife, allowing it to swing downwards, and ultimately allowing you to remove the blade carrier
 positioned soft grip and ribbed slider, is an ergonomic dream.



Ergonomic handle Particularly robust It goes without saying, the more ergonomic the handle, the easier it is to cut. The core of this safety knife is a particularly stable and abrasion resistant metal rabrasion resistant metal rabrasion resistant metal rabrasion resistant metal rabrasioned soft grip and ribbed slider, is an ergonomic dream.




A S

For right and left handers Right and left handed users alike can be charmed by the SECUNORM 380. Turn the blade 180° according to your preference and to suit your needs. The eyelet at the end of the knife is also great for whenever you want to attach your SECUNORM 380.

| SECUNORM 380 with STYROPOR BLADE NO. 79
1 in single unit box (10 in multipack) | NO. 380001.02 |
|--|---------------|
| SECUNORM 380 with STYROPOR BLADE NO. 379
1 in single unit box (10 in multipack) | NO. 380005.02 |

| MOUNTABLE BLADES | | ORDER NO. |
|------------------|---|--------------|
| o | 7 STYROPOR BLADE NO. 79
0.50 mm, 109.5 mm long,
10 in safety dispenser | NO. 79.66 |
| o | 7 STYROPOR BLADE NO. 179
0.50 mm, 109.5 mm long, stainless,
10 in transparent pack | NO. 179.60 |
| c | STYROPOR BLADE NO. 379
0.50 mm, 109.5 mm long, serrated edge,
10 in transparent pack | NO. 379.60 |
| | 7 STYROPOR BLADE NO. 7940
0.50 mm, 71.2 mm long,
10 in transparent pack | NO. 7940.60 |
| | 7 STYROPOR BLADE NO. 17940
0.50 mm, 71.2 mm long, stainless,
10 in transparent pack | NO. 17940.60 |



SECUNORM 380 NO. 380005.02

Our world debut. For special demands. With a serrated blade.

A long bladed safety knife? This has been a contradiction of terms for a very long time. Until now. The SECUNORM 380 is the first safety knife worldwide featuring automatic blade retraction AND a blade extension length of almost 8 cm. If you are looking for a low risk alternative to the usual fixed blade cutter, here is your answer. The SECUNORM 380 has a serrated styropor blade to effortlessly cut through special material such as polystyrene and foam.



Videos

 $\left[\left[\right] \right]$

Application

PRODUCT FEATURES NO. 380005.02

Technical features



» all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 170.5 x 20 x 34 mm | |
|-----------------------------------|-----------------------------------|--|
| Main material | Glass fibre reinforced
plastic | |
| Weight | 79.0 g | |
| Weight per unit (single unit box) | 94.5 g | |

| ACCESSORIES | | ORDER NO. | |
|-------------|---|---------------|--|
| 8 | BELT HOLSTER S WITH CLIP | NO. 9920.08 | |
| Ô | USED BLADE CONTAINER | NO. 9810.08 | |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 | |
| 0 | SAFEBOX | NO. 108000.00 | |

» further information from page 121 onwards



70% of original size







 Long blade extension
 Tool-less blade

 With a blade extension of exactly 7.8 cm, the word "long" is somewhat an understatement. The serrations in the stryropor blade make the SECUNORM 380 an expert for cutting up to 4-ply cardboard, expanding foam, foam and polystyrene sheets.
 Tool-less blade follow the arrow down on the s change activat swing down on utimately allow and the blade.



 Tool-less blade change
 Ergonomic handle

 To change the blade, simply
 It goes without say

 follow the arrow. Pressing
 more regonomic the

 down on the small blade
 dle, the easier it is

 the capping end of the
 tas CEUNRM 38

 safety knife, allowing it to
 positioned soft grip

 swing downwards, and
 ribbed slider, is an

 ultimately allowing you to
 nomic dream.



 Ergonomic handle
 Particularly robust

 It goes without saying, the more ergonomic the handle, the easier it is to cut.
 The core of this safety knife is a particularly stable and abrasion resistant metal rail. The SECUNORM 380 with its curved shape, carefully positioned soft grip and ribbed slider, is an ergonomic dream.
 The section of the safety knife is a particularly stable and abrasion resistant metal rail. The body of the knife is made from a high grade plastic, capable of fulfilling high expectations.



For right and left handers Right and left handed

Right and left handed users alike can be charmed by the SECUNORM 380. Turn the stainless blade 180° according to your preference and to suit your needs. The eyelet at the end of the knife is also great for whenever you want to attach your SECUNORM 380.

| ALL MODELS | | ORDER NO. |
|------------|--|---------------|
| | SECUNORM 380 with STYROPOR BLADE NO. 379
1 in single unit box (10 in multipack) | NO. 380005.02 |
| | SECUNORM 380 with STYROPOR BLADE NO. 79
1 in single unit box (10 in multipack) | NO. 380001.02 |

| MOUNTABLE BLADES | ORDER NO. |
|--|-----------|
| or STYROPOR BLADE NO. 37
0.50 mm, 109.5 mm long
10 in transparent pack | |
| STYROPOR BLADE NO. 79
0.50 mm, 109.5 mm long
10 in safety dispenser | |
| STYROPOR BLADE NO. 17
0.50 mm, 109.5 mm long
10 in transparent pack | |
| oo
0.50 mm, 71.2 mm long,
10 in transparent pack | |
| STYROPOR BLADE NO. 17
0.50 mm, 71.2 mm long,
10 in transparent pack | |



78

marto

SECUNORM MIZAR NO. 125001.02


More leverage, more performance.

The slimline SECUNORM MIZAR is your gateway into our world of quality squeeze-grip knives. Instead of a slider, a lever is responsible for releasing the blade. Squeeze and cut. Thanks to a relatively large cutting depth, you can use this safety knife to cut all common cutting materials. Efficiently. Its slender, no-fuss form, simultaneously allows a wide variety of cutting styles.



Videos

 $\left[\sum_{i} \right]$ Application



Technical features LOGO Main cutting materials



PRODUCT DETAILS

| Knife size (L x W x H) | 139 x 15.6 x 50.5 mm |
|-----------------------------------|-----------------------------------|
| Main material | Glass fibre reinforced
plastic |
| Weight | 59.0 g |
| Weight per unit (single unit box) | 74.0 g |

| ACCESSORIES | | ORDER NO. |
|-------------|---|---------------|
| 8 | BELT HOLSTER M WITH CLIP | NO. 9921.08 |
| Ō | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |

» further information from page 121 onwards



ORDER NO

You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUNORM MIZAR, this is the CERAMIC BLADE NO. 65232C.



Ergonomically shaped Right-handed? Left-handed? It makes no difference with the SECUNORM MIZAR. Its ergonomically designed, lockable squeeze grip comfortably fits all hands. Making cutting super easy. markable. Regardless of the number of cuts you make per day.



Plastic with a content Easy blade change A glass fibre content, to be No tools are needed to precise. These fibres are change the blade. Two what make the SECUNORM hands can do the job. MIZAR super strong and Move the 3-in-1 safety lock to position "blade super solid. The durability of this safety knife is rechange". Swing out the lever, flip the blade cover, replace the blade. Close

martor



Multipurpose locking function The SECUNORM MIZAR 3-in-1 safety lock is unique. Slide it to lock and unlock your cutting tool. And when necessary, move it to position 3 to safely change or rotate the blade. the cover, store the lever, continue cutting!



2-cutting edge blade Before you need to change the quality blade, you have the chance to turn it over once. Usage time of the blade is doubled and fatigue is held at bay: with a simple flip of the blade, your product will cut like new.



SECUNORM MIZAR with TRAPEZOID BLADE NO. 5232 NO. 125001.02 1 in single unit box (10 in multipack)

SECUNORM MIZAR with TRAPEZOID BLADE NO. 65232 NO. 125002.02 in single unit box (10 in multipack)

| MOUNTABLE BLADES | | ORDER NO. |
|------------------|---|----------------|
| | TRAPEZOID BLADE NO. 5232
0.63 mm, deep-edged, 10 in dispenser | NO. 5232.70 |
| O | TRAPEZOID BLADE NO. 52
0.63 mm, 10 in dispenser | NO. 52.70 |
| | TRAPEZOID BLADE NO. 5233
0.63 mm, 1-sided ground-edge, 10 in dispenser | NO. 5233.70 |
| | TRAPEZOID BLADE NO. 610
0.63 mm, stainless, 10 in dispenser | NO. 610.70 |
| <u>0</u> | TRAPEZOID BLADE NO. 65232
0.63 mm, rounded blade tips, deep-edged,
10 in dispenser | NO. 65232.70 |
| <u> </u> | CERAMIC BLADE NO. 65232C
0.65 mm, ceramic, rounded blade tips, deep-edged,
2 on self-service card | NO. 1765232.25 |
| 0 | TRAPEZOID BLADE NO. 8852
0.63 mm, TiN-coated,
10 in dispenser | NO. 8852.70 |
| O | TRAPEZOID BLADE NO. 852
0.63 mm, stainless, TiN-coated,
5 paper-wrapped | NO. 852.42 |

» All blades from page 134 onwards.

PRODUCT FEATURES NO. 125001.02 » all cutting materials from page 131 onwards



VPA

marto



SECUNORM 175 NO. 175001.02

Surprisingly comfortable, incredibly capable.

The SECUNORM 175 enriches our range of popular small box cutters. Its unique features include the cleverly-designed and incredibly easy blade change system. Other highlights include its ergonomic handle, double-sided slider and a fresh design. The SECUNORM 175 is a versatile cutting tool that apart from cardboard boxes, also masters bags, films and strappings.



Videos

 $\left[\sum_{i} \right]$ Application



PRODUCT FEATURES NO. 175001.02



Main cutting materials

P XXX \sim » all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 109.5 x 13.5 x 34 mm |
|-----------------------------------|-----------------------------------|
| Main material | Glass fibre reinforced
plastic |
| Weight | 31.0 g |
| Weight per unit (single unit box) | 36.0 g |
| ACCESSORIES | ORDER NO. |
| | NO 0021 08 |

| 8 | BELT HOLSTER M WITH CLIP | NO. 9921.08 |
|---|--|---------------|
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE
CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |


» further information from page 121 onwards





Ergonomic handle MARTOR wants to make your work easier for you, which is why we always have ergonomics in mind. With its small size and rounded off end, there's nothing uncomfortable about this knife. A grooved slider offers grip for even better handling.

Easy blade change



Double-sided slider Once again we've improved The SECUNORM 175 is user blade change. Simply press friendly in the best sense the blade change button of the word. And with and pull to open the hanits double sided slider, it dle. The slider automatically is suitable for both, right folds up, revealing the and left handed users. No blade. Rotate or change modification required. and continue cutting.

martor



Practical eyelet A cutting tool as handy as the SECUNORM 175 fits in your pocket. Mostly! To make your safety knife available even faster, you can pull a strap through the evelet. And hang it around your wrist, for example.



4-cutting edge blade Why do you benefit more from your blade? With its four sharp edges, it can be rotated four times. That's why. The result? Blade life is quadrupled and you stay sharp for longer.



SECUNORM 175 with INDUSTRIAL BLADE NO. 45 1 in single unit box (20 in multipack)

| ORDER NO. | MOUNTABLE BLADES | | |
|---------------|------------------|--|--|
| NO. 175001.02 | 00[00 | INDUSTRIAL BLADE
0.30 mm, 10 in tra | |
| | 00[00 | INDUSTRIAL BLAD | |

0.30 mn

| | ORDER NO. |
|---|------------|
| RIAL BLADE NO. 45
π, 10 in transparent pack | NO. 45.60 |
| RIAL BLADE NO. 145
π, stainless, 10 in transparent pack | NO. 145.60 |

SECUNORM 185 NO. 18500410.02

Lots of knife requiring little space.

Efficiency is important when opening cartons and pallets. Just what the nimble and robust SECUNORM 185 has been designed for. The compact safety knife impresses with features rarely found in this product group, such as a stainless steel handle, a large slider and easy blade change. Other benefits are the automatic blade retraction and a choice between steel and ceramic blades.





Application







田田田 *** \sim » all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 102 x 26 x 7,2 mm |
|-----------------------------------|-------------------|
| Main material | Stainless steel |
| Weight | 32,0 g |
| Weight per unit (single unit box) | 720,0 g |

| ACCE | SSORIES | ORDER NO. |
|------|---|---------------|
| 8 | BELT HOLSTER M WITH CLIP | NO. 9921.08 |
| Ō | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |

» further information from page 121 onwards



You can also use a ceramic blade as an alternative to the installed steel blade. For the SECUNORM 185, this is the CERAMIC BLADE NO. 92C.



Robust and practical The SECUNORM 185's handle is made of stainless steel, designed for frequent cutting and long service. The knife has an ergonomic ation even when wearing practical format and lightweight design to make cutting easier



Optimal slider The double-sided slider is suitable for both right and left handers. It has a large surface for perfect opergloves. Grooves on the slider improve slip resistance.

martor



Safe blade change Practical eyelet Simply hold down the blade The SECUNORM 185 is equipped with a small change button and pull out the slider from the front eyelet for attaching a strap, to give access to the magsecuring the knife to be on net-fixed blade. The plastic hand as soon as the next insert and handle remain package needs opening. together so that nothing will be lost.



4-cutting edge blade The blade has four cutting edges that can be used one after the other. This makes economic and ecological sense and, with a fresh cutting edge, you can always cut like new.

| ALL MODELS | | ORDER NO. |
|------------|---|-----------------|
| - 17 | SECUNORM 185 with INDUSTRIAL BLADE NO. 92
1 in single unit box (20 in multipack) | NO. 18500410.02 |
| - | SECUNORM 185 with CERAMIC BLADE NO. 92C
1 in single unit box (20 in multipack) | NO. 185004.17 |

| MOUNTABLE BLADES | | ORDER NO. |
|------------------|--|---------------|
| 0 | INDUSTRIAL BLADE NO. 92
0,40 mm, 10 in safety dispenser | NO. 92.66 |
| 0 | INDUSTRIAL BLADE NO. 192
0,40 mm, stainless,
10 in safety dispenser | NO. 192.66 |
| 0 | CERAMIC BLADE NO. 92C
0,50 mm, ceramic, deep-edged,
2 on self-service card | NO. 1792.25 |
| - | INDUSTRIAL BLADE NO. 60092
0,40 mm, rounded blade tips,
10 in safety dispenser | NO. 60092.66 |
| 0 | INDUSTRIAL BLADE NO. 92043
0,40 mm, deep-edged,
10 in safety dispenser | NO. 92043.66 |
| 0 | INDUSTRIAL BLADE NO. 192043
0,40 mm, deep-edged, stainless,
10 in safety dispenser | NO. 192043.66 |

PRODUCT FEATURES NO. 18500410.02 Technical features

84

SECUNORM HANDY NO. 445.02

A classic, in pocket form.

The SECUNORM HANDY is compact, but don't be fooled! Being handy doesn't mean it's quaint. This is a cutting tool with "bite" and all the qualities required for the job. Compact yet versatile, lightweight but extremely handy, the SECUNORM HANDY is suitable for a variety of cutting applications. High frequency cutting is no problem. Application





 PRODUCT DETAILS

 Knife size (L x W x H)
 100 x 7.8 x 25.5 mm

 Main material
 Steel

 Weight
 35.0 g

 Weight per unit (single unit box)
 37.8 g

| ACCE | SSORIES | ORDER NO. |
|------|---|---------------|
| 8 | BELT HOLSTER M WITH CLIP | NO. 9921.08 |
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |

» further information from page 121 onwards







Double-sided slider Small, but robust With the right hand? With Don't take this safety knife the left hand? It's all the at face value. It is small, same. We have fitted the but it is tough. The plastic SECUNORM HANDY with insert sits snug within a a slider that is accessible coated metal handle. Light from both sides. Now that's and compact, the SECUhandy! NORM HANDY will quide you through thick and thin, long term.



Handy formatTool-less blade changeThe SECUNORM HANDY
can slip into every pocket.Changing the blade is simply
ple. And tool-less. Simply
pull the plastic insert out
of the handle. Rotate or
dappreciate its lightness and
size. Ribbing on the slider is
a grippy bonus.otol-less simply
ple. And tool-less. Simply
pull the plastic insert out
of the handle. Rotate or
change the blade, replace
size. Ribbing on the slider is



4-cutting edge blade Why do you benefit more from your blade? With its four sharp edges, it can be rotated four times. That's why. The result? Blade life is quadrupled and you stay sharp for longer.

| ALL MODELS | | ORDER NO. |
|------------|---|------------|
| - | SECUNORM HANDY with INDUSTRIAL BLADE NO. 45
1 in single unit box (20 in multipack) | NO. 445.02 |
| | SECUNORM HANDY with a stainless steel body and
INDUSTRIAL BLADE NO. 45
1 in single unit box (20 in multipack) | NO. 444.02 |

| MOUNTABLE BLADES | | ORDER NO. | |
|------------------|--|------------|--|
| 00[00 | INDUSTRIAL BLADE NO. 45
0.30 mm, 10 in transparent pack | NO. 45.60 | |
|
00[00 | INDUSTRIAL BLADE NO. 145
0.30 mm, stainless, 10 in transparent pack | NO. 145.60 | |

PRODUCT FEATURES NO. 445.02

SECUNORM SMARTCUT NO. 110000.02

Yes, a cutting tool can be this SMART.


Make one cut with this safety knife and you'll know immediately why it's called a SMART cut. Its light and compact shape is SMART. The fact that it is suitable for almost all types of cutting material is SMART. Automatic blade retraction in such a small housing is SMART. Its immense popularity as an attractive promotional knife definitely proves its SMARTness.



Videos

 \square

Application



| Technic | al featur | es | | | | |
|-----------|-----------|---------|----|---------|---|------|
| \square | A | \odot | ¥. | والكرال | a | LOGO |

PRODUCT FEATURES NO. 110000.02



» all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 110 x 12.5 x 25 mm |
|-----------------------------------|--------------------|
| Main material | Plastic |
| Weight | 17.2 g |
| Weight per unit (single unit box) | 21.3 g |

| ACCESSORIES | | ORDER NO. |
|-------------|---|-------------|
| 8 | BELT HOLSTER M WITH CLIP | NO. 9921.08 |
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |

» further information from page 121 onwards







 One use, two advantages
 Slide

 The SECUNORM SMARTCUT
 With

 is a disposable safety knife.
 the I

 For you, that means: no
 does

 risk of injury when chang have

 ing the blade. The blade
 SMA

 will also not get lost in the
 that

 production process.
 sides



Slider on both sides Light and easy With the right hand? With At only 17 g, the SECU-NORM SMARTCUT is a the left hand? This question does not arise. Because we genuine light weight. have fitted the SECUNORM This also contributes to SMARTCUT with a slider quick and efficient cutting. that is accessible from both Without hands and arms sides. Choose for yourself! getting tired.



Perfect handling SECU- The product does not only look handy. Its small, rounded handle really sits utes to comfortably in your hand. t cutling. And there's much more: So had arms biotechild biotechild biotechild slip, the slider has grooves.



You can't lose it As compact as the SECU-NORM SMARTCUT is - there is an eyelet for tethering the safety knife to you or the work station.





1 in single unit box (20 in multipack)


ORDER NO.

NO. 110000.02

NO. 110100.02

Installed blade

The blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.63 mm.



Installed blade

The stainless steel blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.63 mm.

SECUNORM MULTISAFE NO. 8152.02

Simply Heavy Metal.

The SECUNORM MULTISAFE is a real classic that is now available in a brand-new design. It provides excellent durability thanks to its handle made of zinc and its uncomplicated, robust design. With its notable blade extension, you can cut all standard materials. Should you have any particular requirements, you can re-fit the SECUNORM MULTISAFE with one of our many optional blades.



Videos

 \square

Application



PRODUCT FEATURES NO. 8152.02



» all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 142 x 17 x 38.5 mm |
|-----------------------------------|--------------------|
| Main material | Zinc |
| Weight | 150.0 g |
| Weight per unit (single unit box) | 163.0 g |

| ACCE | SSORIES | ORDER NO. |
|------|---|---------------|
| 8 | BELT HOLSTER S WITH CLIP | NO. 9920.08 |
| 1 | HOLSTER SMALL | NO. 9842.08 |
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |

» further information from page 121 onwards



VPAS



Robust design As you can see and feel, the SECUNORM MULTISAFE is extremely stable. And flexible, since you can use a large number of blade shapes. The safety knife is therefore suitable for many cutting applications.

Slider on top With the right or with the left hand, you ask? Left and right, is the answer! The metal slider is on top of the handle. And can thus be easily used with either thumb.



Eyelet for fastening Before you have to change Ever since its introduction the SECUNORM MULTISAFE the quality blade, you can is equipped with an eyelet doubles the usage time of for tethering your knife to you or a work station. your energy consumption.

ALL MODELS SECUNORM MULTISAFE with TRAPEZOID BLADE NO. 5232

1 in single unit box (10 in multipack)

| MOUNTABLE | BLADES | ORDER NO. |
|--|--|--------------|
| | TRAPEZOID BLADE NO. 5232
0.63 mm, deep-edged, 10 in dispenser | NO. 5232.70 |
| / | TRAPEZOID BLADE NO. 5233
0.63 mm, 1-sided ground-edge, 10 in dispenser | NO. 5233.70 |
| <u>0</u> | TRAPEZOID BLADE NO. 65232
0.63 mm, rounded blade tips, deep-edged,
10 in dispenser | NO. 65232.70 |
| / | TRAPEZOID BLADE NO. 610
0.63 mm, stainless, 10 in dispenser | NO. 610.70 |
| | TRAPEZOID BLADE NO. 54045
0.45 mm, carbon steel, 5 paper-wrapped | NO. 54045.42 |
| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | HOOK BLADE NO. 56
0.63 mm, 10 in dispenser | NO. 56.70 |
| ~~·> | HOOK BLADE NO. 5634
0.63 mm, rounded blade tips,
10 in dispenser | NO. 5634.70 |
| ~~~~ | HOOK BLADE NO. 63
0.63 mm, 10 in dispenser | NO. 63.70 |
| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | HOOK BLADE NO. 60
0.63 mm, 10 in dispenser | NO. 60.70 |

» All blades from page 134 onwards.

martor

ORDER NO.

NO. 8152.02

Made of solid metal The SECUNORM MULTISAFE is a tool that seems to be made of one casting. Zinc die casting, to be precise. For certain industries, e.g. the food industry, the safety knife is also available

martor

unpainted.

90

like new.

2-cutting edge blade

turn it over once. This

the blade – and reduces

Because your SECUNORM

MULTISAFE will cut again

Blade retraction and locking

Blade retraction protects you from cutting injuries. Alternatively, you can also lock the blade. When you release the lock, the blade retracts.

° ° ° ° °

0 0 0

SECUBASE 383 NO. 383001.02

How to cut is up to you.


A safety knife that also performs as a cutter? The new SECUBASE 383 can be both. Your cutting tool is equipped with automatic blade retraction to prevent cutting injuries. Some cutting tasks, such as saw cuts, however, are easier with a fixed blade. The blade can therefore be locked in seven different positions to enable efficient working.




Videos

 \square

Application







» all cutting materials from page 131 onwards

PRODUCT DETAILS

Technical features

 \bigcirc

| Knife size (L x W x H) | 170.5 x 25 x 34 mm |
|-----------------------------------|-----------------------------------|
| Main material | Glass fibre reinforced
plastic |
| Weight | 78.5 g |
| Weight per unit (single unit box) | 93.0 g |
| ACCESSORIES | ORDER NO. |

A BELT HOLSTER S WITH CLIP NO. 9920.08 USED BLADE CONTAINER NO. 9810.08 Ô 1 WALL MOUNT BRACKET USED BLADE NO. 9845.06 CONTAINER

» further information from page 121 onwards









Long blade extension "Long" is actually an understatement: the blade can extend to a maximum of 7.8 cm. The SECUBASE 383 can then be used for the safe and easy cutting of materials such as 4-ply cardboard boxes, bagged goods, paper rolls, building foam and polystyrene sheets.



(cutting depths from 7 mm to 73 mm) is available when you want to use your SECUBASE 383 as a cutter. Afterwards, release the lock and the blade will retract as usual.



Ergonomic handle For right and left hander The SECUBASE 383 has The SECUBASE 383 is a consistent ergonomic supplied ready for use by design to protect your hand. The slightly tapered handle is very comfortable by 180° to start cutting. to hold. Another ergonomic The slider and the lock are feature is the slider, which operated with the thumb. is particularly easy to move because of its built-in ramp.



Easy blade change To access the long, flexible blade, use the blue blade right-handers. Left handers change button at the end just need to turn the blade of the handle. You can now pull out the inner section including the slider. The blade is held in position by two magnets.

| ALL MODELS | | ORDER NO. | MOUNTAB |
|------------|---|---------------|---------|
| | SECUBASE 383 with STYROPOR BLADE NO. 79
1 in single unit box (10 in multipack) | NO. 383001.02 | |
| - | SECUBASE 383 mit STYROPORKLINGE NR. 379
1 in single unit box (10 in multipack) | NO. 383005.02 | |
| | | | |

| MOUNTABLE BLADES | ORDER NO. |
|---|--------------|
| O.50 mm, 109.5 mm long,
10 in transparent pack | NO. 79.60 |
| STYROPOR BLADE NO. 179
0.50 mm, 109.5 mm long, stainless,
10 in transparent pack | NO. 179.60 |
| STYROPOR BLADE NO. 379
0.50 mm, 109.5 mm long, serrated edge,
10 in transparent pack | NO. 379.60 |
| STYROPOR BLADE NO. 7940 0.50 mm, 71.2 mm long, 10 in transparent pack | NO. 7940.60 |
| OCO STYROPOR BLADE NO. 17940
0.50 mm, 71.2 mm long, stainless,
10 in transparent pack | NO. 17940.60 |

PRODUCT FEATURES NO. 383001.02





94

marto

SECUBASE 383 NO. 383005.02

How to cut is up to you. With a serrated blade.


A safety knife that also performs as a cutter? The new SECU-BASE 383 can be both. Your cutting tool is equipped with automatic blade retraction to prevent cutting injuries. Some cutting tasks, such as saw cuts, however, are easier with a fixed blade. The blade can therefore be locked in seven different positions to enable efficient working.




Videos

 \square

Application





Technical features

PRODUCT FEATURES NO. 383005.02





» all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 170.5 x 25 x 34 mm |
|-----------------------------------|-----------------------------------|
| Main material | Glass fibre reinforced
plastic |
| Weight | 78.5 g |
| Weight per unit (single unit box) | 93.0 g |
| | |

| ACCE | SSORIES | ORDER NO. |
|------|-------------------------------|-------------|
| 8 | BELT HOLSTER S WITH CLIP | NO. 9920.08 |
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE | NO. 9845.06 |

» further information from page 121 onwards



70% of original size



 Long blade extension
 Lorg

 "Long" is actually an understatement: the blade can extend to a maximum of 7.8 cm. The serrations in
 M

 Ya cm. The serrations in
 W

 the styropor blade make expert for cutting up to
 W

 4-ply cardboard, expanding foam, foam and polystyrene sheets.
 F



 Locking and retraction
 Ergon

 A choice of seven settings
 The S

 (cutting depths from 7
 a com

 mm to 73 mm) is available
 design

 when you want to use
 hand.

 your SECUBASE 383 as a
 handl

 cutter. Afterwards, release
 to hold

 the lock and the blade will
 featur

 retract as usual.
 is par

martor



Ergonomic handle For right and left hander The SECUBASE 383 has The SECUBASE 383 is supplied ready for use by a consistent ergonomic design to protect your right-handers. Left handers hand. The slightly tapered just need to turn the blade handle is very comfortable by 180° to start cutting. to hold. Another ergonomic The slider and the lock are feature is the slider, which operated with the thumb. is particularly easy to move because of its built-in ramp.



Zertifiziert durch

Easy blade change To access the long, flexible blade, use the blue blade change button at the end of the handle. You can now pull out the inner section including the slider. The blade is held in position by two magnets.

| ALL MODELS | | ORDER NO. | MOUNTA |
|------------|---|---------------|--------|
| | SECUBASE 383 mit STYROPORKLINGE NR. 379
1 in single unit box (10 in multipack) | NO. 383005.02 | |
| _ | SECUBASE 383 with STYROPOR BLADE NO. 79
1 in single unit box (10 in multipack) | NO. 383001.02 | |
| | | | |

| MOUNTABLE BLADES | | ORDER NO. |
|---|---------------------------|--------------|
| STYROPOR BLA
0.50 mm, 109. 10 in transpare | 5 mm long, serrated edge, | NO. 379.60 |
| STYROPOR BLA
0.50 mm, 109.
10 in transpare | 5 mm long, | NO. 79.60 |
| STYROPOR BLA
0.50 mm, 109.
10 in transpare | 5 mm long, stainless, | NO. 179.60 |
| 0.50 mm, 71.2
10 in transpare | mm long, | N0. 7940.60 |
| 0 0 0 STYROPOR BL/
0.50 mm, 71.2
10 in transpare | mm long, stainless, | NO. 17940.60 |

Foreign particles in a production process? Scary thought. In a food or medication production process? Even more alarming. We're sure you want to prevent this from happening. To minimise this risk in manual cutting work, we recommend using our MARTOR MDP knives. These feature metal-detectable plastic. A lost knife, or the tiniest parts of a knife, are easy to find by your in-house detectors and then filtered out before malfunctions and contamination can occur.

SECUMAX 320 MDP NO. 32000771.02

COMBI reloaded. The new generation. Metal detectable.


The SECUMAX COMBI MDP was always in a class of its own as a film cutting expert – until it found its legitimate successor. The new SECUMAX 320 MDP makes an instant impression with its outstanding design. And if you look more closely, you will appreciate its inner values. For example, in comparison to its predecessor, the perfected ergonomics and the completely overhauled blade change. What about the subject of "metal detectability"? It has always been in the COMBI MDP's DNA – and so it will remain that way.




Videos

 \square

Application







» all cutting materials from page 131 onwards

PRODUCT FEATURES NO. 32000771.02

 $\widehat{\bigcirc}$

PRODUCT DETAILS

Technical features

| Knife size (L x W x H) | 158 x 13 x 56 mm |
|-----------------------------------|-----------------------------|
| Main material | Metal detectable
plastic |
| Weight | 60.0 g |
| Weight per unit (single unit box) | 71.0 g |
| | |

ACCESSORIES ORDER NO. BELT HOLSTER M WITH CLIP NO. 9921.08 A USED BLADE CONTAINER Ô NO. 9810.08 1 WALL MOUNT BRACKET USED BLADE NO. 9845.06 CONTAINER \bigcirc SAFEBOX NO. 108000.00 • MDP TEST CARD SET NO. 9910.09

» further information from page 121 onwards





100

Metal-detectable plastic Safety first The SECUMAX 320 MDP is The concealed blade and metal detectable and esperounded nose reliably procially suited to companies tect you and your products. Furthermore, the knife and sectors processing sensitive materials. Even head has been significantly the tiniest fragment of the strengthened making it knife can be traced before more robust and longer any contamination of your lasting. products takes place.



 Blade change made easy
 Perfect ergonomics

 Another benefit for handling and safety is the newly designed blade
 Can you feel the differer The new handle shape v the finger friendly contours fits like a glove. The preset cutting angle is a remove the cover. You can then directly access the 4-cutting edge blade.
 Nerfect ergonomics



Optimised blade section Can you feel the difference? Just two examples: The cutting channel is formed The new handle shape with so that your safety knife tours fits like a glove. The moves away the freshly preset cutting angle is also cut material even faster. Diagonal cuts are also easkind to the hand and arm helping you to position the ier than ever to perform. Your benefits: Less effort required for the task.



SECUMAX 320 MDP with INDUSTRIAL BLADE NO. 192043 NO. 32000771.02

ORDER NO. MOUNTABLE BLADES

0

INDUSTRIAL BLADE NO. 192043 0.40 mm, deep-edged, stainless, 10 in safety dispenser ORDER NO. NO. 192043.66



marto

SECUMAX 150 MDP NO. 150007.12

Full points in three regards. Metal detectable.


The SECUMAX 150 MDP resolves several issues in one. With its concealed blade, you will never have to worry about injuring yourself or damaging your goods. Thanks to its versatility, you only need the one tool to cut, scrape and split. Main customer benefit: specially designed for sensitive manufacturing processes, the SECUNORM 150 MDP is made of metal detectable plastic to ensure that it is always retrievable.




Videos

 $\left[\left[\right] \right]$

Application









| Knife size (L x W x H) | | 148 x 11 x 37.2 mm |
|--------------------------|-------------|-----------------------------|
| Main material | | Metal detectable
plastic |
| Weight | | 31.2 g |
| Weight per unit (10 in b | oox) | 338.0 g |
| ACCESSORIES | | ORDER NO. |
| BELT HOLSTER | S WITH CLIP | NO. 9920.08 |
| MDP TEST CARE | D SET | NO. 9910.09 |

» further information from page 121 onwards









Stainless steel blade Metal detectable You are on the safe side when using the SECUMAX 150 MDP in areas requiring caution. The detectors are effective in the event that with water. the disposable tool – or parts of it – unintentionally enter the production



3-in-1 blade head Stainless steel blades are standard in the SECUMAX 150 MDP – optimal for reqable to hold, that it feels ular use under demanding like an extension of your conditions and for cleaning hand. With it you can cut

marto

surfaces.



Concealed blade The SECUMAX 150 MDP fits This safety knife doesn't like a glove. It's so comfortneed a sharp tip to be a smart knife. The blade is securely concealed so that it presents no risk to you or cardboard, split tape, open your goods when opening plastic strapping... you can packages. even scrape residue off



Ergonomically shaped Right handed? Left handed? It's really all the same. Because the SECUMAX 150 MDP perfectly fits any hand – even in gloves. The large handle surface feels particularly pleasant as a secure place for the thumb, fingers and hand.



ORDER NO NO. 150007.12

Installed blade The stainless steel blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.





process.

SECUMAX 145 MDP NO. 145007.12

Compact design. Powerful performance. Metal detectable.


The SECUMAX 145 is our clever, compact safety knife for routine cutting tasks – also available in an MDP version. The metal-detectable plastic handle and 0.5 mm strong blade give a robustness to the lightweight 14 g knife. Its concealed cutting edges easily cope with single-layered cardboard, film and packing tape and keep your fingers safe. And because the SECUMAX 145 MDP is always traceable, your company is kept safe too.



Videos

 \square

Application







PRODUCT FEATURES NO. 145007.12



» all cutting materials from page 131 onwards

| PRODUCT DETAILS | |
|-----------------------------|-----------------------------|
| Knife size (L x W x H) | 118 x 4 x 35.4 mm |
| Main material | Metal detectable
plastic |
| Weight | 13.7 g |
| Weight per unit (10 in box) | 151.0 g |
| ACCESSORIES | ORDER NO. |
| BELT HOLSTER S WITH CLIP | NO. 9920.08 |
| MDP TEST CARD SET | NO. 9910.09 |
| | |

» further information from page 121 onwards







104

 2-in-1 blade head
 Concealed blade

 The blade head provides
 With a 4 mm cut

 two functions: cutting and
 access, the blade

 piercing. Use the knife's
 concealed. Out of

 noses to the left and right
 fingers but acces

 of the blade to effortless
 thematerials to to

 pierce materials (e.g. card
 contents under th

 and film), and the blade
 sufface will also I

 head's corners for packing
 cutting edge.



 Concealed blade
 Stainless steel blade

 With a 4 mm cutting access, the blade is highly concealed. Out of reach for fingers but accessible to the materials to be cut. And contents under the cutting surface will also be kept safe from contact with the rutting action.
 Stainless steel blade standard in the SECUMAX 145 MDP – optimal for regular use under demanding conditions and for cleaning with water.



 de
 Metal detectable

 les are
 You are on the safe side

 CUMAX
 when using the SECUMAX

 l for reg 145 MDP in areas requiring

 nanding
 caution. The detectors are

 cleaning
 effective in the event that

 the disposable tool – or
 parts of it – unintention-ally enter the production



Flat and robust design It is not just the handle that has an extremely flat design – the cutting channel too measures just 1.5 mm. Less effort is required for cutting and the tool also retains its strength – thanks to a 0.5 mm blade and high-quality plastic.



ORDER NO. NO. 145007.12

Installed blade The stainless steel blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.50 mm.

SECUMAX POLYCUT MDP NO. 8500772.12




Videos

 $\left[\right]_{i}$

The all-rounder among specialists. Metal detectable.

The SECUMAX POLYCUT MDP is another of our small, plastic disposable knives and is special by being an all-rounder. The larger gap between the blade and plastic means it can cut through multiple layers of material. Furthermore, with its long pointed nose you are able to cut through paper film, etc. Your company will be especially pleased that it is also made of plastic that can be traced by a metal detector and can therefore be found again.



SECUMAX RING KNIFE MDP NO. 307.08

Work with a cutting tool and at the same time keep both

SECUMAX RING KNIFE MDP is worn on the top side of your

more. And if you drop it or lose it anytime, don't worry: it's

made of a metal detectable plastic. Detectability minimises

the risk of your safety knife landing in your production line.

finger. It can be used to cut film, yarn, thread and much much

hands free? Surely not possible you say. But it is! The

Small, but nevertheless detectable.

Application





PRODUCT FEATURES NO. 8500772.12

Technical features

Main cutting materials



» all cutting materials from page 131 onwards

ACCESSORIES

| 0 | MDF | TEST | CARD | SET |
|---|-----|------|------|-----|
| | | | | |

» further information from page 121 onwards

| Knife size (L x W x H) | 76.1 x 3 x 45.1 mm |
|------------------------|-----------------------------|
| Main material | Metal detectable
plastic |
| Weight | 9.4 g |

PRODUCT DETAILS

| Weight per unit (10 in box) | 104.2 g |
|-----------------------------|---------|

ALL MODELS

ALL MODELS ORDER NO.
SECUMAX POLYCUT MDP NO. 8500772.12
10 in box (loose)
Installed blade
The stainless steel blade is moulded into the body of the knife and cannot be changed.

Blade thickness 0.30 mm.

PRODUCT FEATURES NO. 307.08

| Technica | al featur | es | | | | | |
|------------|-----------|----|---|---|---------|----|----|
| \bigcirc | MDP | | À | Z | \odot | ¥. | ⋓⋓ |

Main cutting materials



» all cutting materials from page 131 onwards

» further information from page 121 onwards

ACCESSORIES

MDP TEST CARD SET

| ALL MOD | ELS | ORDER NO. |
|---------|---|------------|
| 5 | SECUMAX RING KNIFE MDP
loose (50 in multipack) | NO. 307.08 |

Installed blade

ORDER NO.

NO. 9910.09

PRODUCT DETAILS

Knife size (L x W x H)

Weight per unit (50 in multipack)

Main material

Weight

The stainless steel blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.

106

ORDER NO.

NO. 9910.09

34.3 x 23.2 x 18.4 mm

Metal detectable

plastic

3.5 g

218.0 q

SECUNORM PROFI25 MDP NO. 120700.02

Professional in every respect. Metal detectable.

Our SECUNORM PROFI25 MDP is aptly named. "PROFI" because this safety knife really does behave professionally. Whatever the situation, whatever the cutting material. The "25" is in reference to its impressive blade extension of 25 mm, with which even 3-ply cardboard can be cut. And finally, the "MDP" tag means that all plastic parts of this knife can be detected by a metal detector.



Videos

Application



PRODUCT FEATURES NO. 120700.02



퍮 » all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 143 x 17 x 31 mm |
|-----------------------------------|------------------|
| Main material | Aluminium |
| Weight | 84.5 g |
| Weight per unit (single unit box) | 99.3 g |

| ACCE | SSORIES | ORDER NO. | |
|------|---|---------------|--|
| 8 | BELT HOLSTER S WITH CLIP | NO. 9920.08 | |
| 1 | HOLSTER SMALL | NO. 9842.08 | |
| Ô | USED BLADE CONTAINER | NO. 9810.08 | |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 | |
| 0 | SAFEBOX | NO. 108000.00 | |
| 0 | MDP TEST CARD SET | NO. 9910.09 | |

» further information from page 121 onwards



108

Metal detectable While working, a cutting tool – or parts of it – can

No paint

sometimes get lost. But only for a short while. Because the plastic that can be detected by a metal detector ensures that you find it again fast.



Robust handle You would like to avoid risks in your job, wherever



2-cutting edge blade Before you have to change the quality blade, you can turn it around once. This doubles the usage time of the blade – and reduces the energy you use up. Because your product cuts like new again



VPA


Tool-less blade change Blade changing is quick to work out. Literally. You just need to slide the metal detectable plastic insert out of the handle and replace the old blade with a new one.



SECUNORM PROFI25 MDP with TRAPEZOID BLADE NO. 199 1 in single unit box (10 in multipack) ORDER NO. MOUNTABLE BLADES TRAPEZOID BLADE NO. 199 NO. 120700.02 △ 0.63 mm, deep-edged, stainless, 10 in dispenser

ORDER NO NO. 199.70









The plastic insert of the SECUNORM PROFI25 MDP is in an aluminium handle. With its robust design, it is predestined for high cutting frequencies and a long life.



SECUNORM PROFI40 MDP NO. 11900771.02

Deep cut. High quality. Metal detectable.

Just like the other PROFIs, the SECUNORM PROFI40 MDP is a professional cutting tool. Particularly when it comes to cutting open all different types of sacks. Some cutting tasks demand a decent blade length. The 40 mm blade extension of the robust SECUNORM PROFI40 MDP therefore makes it an excellent choice. It is also paint-free and metal detectable, ideal for industries wanting to avoid foreign objects entering and disrupting their production processes.







» all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 143 x 17 x 31 mm |
|-----------------------------------|------------------|
| Main material | Aluminium |
| Weight | 84.4 g |
| Weight per unit (single unit box) | 97.2 g |



» further information from page 121 onwards







Metal detectable Paint-free While working, a cutting tool – or parts of it – can sometimes get lost. But only for a short while. The metal detectable plastic and distinctive blue colour ensures vou'll find it again production process.



of contamination of the

martor



Very large cutting depth The extra large cutting depth is ideal for multi-ply cardboard and bagged goods, and, for example, to cut any type of film. The stainless quality blade is characterised by an extremely low risk of



Tool-less blade change Blade changing is quick to work out. Literally. You just need to slide the metal detectable plastic insert out of the handle and replace the old blade with a new one.



SECUNORM PROFI40 MDP with STYROPOR BLADE NO. 17940 1 in single unit box (10 in multipack) ORDER NO. MOUNTABLE BLADES

NO. 11900771.02

STYROPOR BLADE NO. 17940 0 0 / 0,50 mm, 71.2 mm long, stainless, 10 in transparent pack

marto

ORDER NO NO. 17940.60

Robust handle You would like to avoid The plastic insert of the risks in your job, wherever SECUNORM PROFI40 MDP possible? That's underis in an aluminium handle. standable. An unpainted With its robust design, it is handle minimises the risk predestined for high cutting

frequencies and a long life.

breakage



111

fast

SECUNORM HANDY MDP NO. 447.02

Application

A classic, in pocket form. Metal detectable.

Don't be deceived by the compactness of this safety knife. The SECUNORM HANDY MDP might be small, but it surely can cut. It's a cutting tool with "bite" and all the qualities required for the job. The MDP version is your first choice if you're coming from either the food or medicine industry. All plastic parts are made from a metal detectable plastic. Coupled with a stainless steel blade, there are no risks with the SECUNORM HANDY MDP.



SECUNORM SMARTCUT MDP NO. 110700.02

Yes, a cutting tool can be this SMART. Metal detectable.


Make one cut with this knife and you'll know immediately why it's called a SMART cut. Its light and compact shape is SMART. The fact that it is suitable for almost all types of cutting material is SMART. What's also smart, is that you can use it in sensitive industries without thinking twice. Because its plastic handle is metal detectable and it has a stainless steel blade. Good to know, isn't it?



Videos

 $\left[\right]_{i}$

Application





ORDER NO.







100 x 7.8 x 25.5 mm

PRODUCT FEATURES NO. 447.02

| Technic | al featur | es | | | | |
|---------|-----------|------------|-------------------------|---|----|------------|
| | | O
X-RAY | $(\underline{(\cdot)})$ | Z | 47 | V 9 |
| Main cu | utting ma | terials | | | | |



» all cutting materials from page 131 onwards

ACCESSORIES

112

| | | URDER NU. |
|---|---|---------------|
| 8 | BELT HOLSTER M WITH CLIP | NO. 9921.08 |
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |
| • | MDP TEST CARD SET | NO. 9910.09 |

| Main material | Stainless steel |
|-----------------------------------|-----------------|
| Weight | 37.5 g |
| Weight per unit (single unit box) | 41.3 g |

PRODUCT DETAILS

Knife size (L x W x H)

| per unit (single unit box) | 41.3 g |
|----------------------------|--------|
|----------------------------|--------|

ALL MODELS ORDER NO. SECUNORM HANDY MDP with INDUSTRIAL BLADE NO. 145 NO. 447.02 1 in single unit box (20 in multipack)

MOUNTARI E RI ADES ORDER NO INDUSTRIAL BLADE NO. 145 NO. 145.60 00()00 0.30 mm, stainless, 10 in transparent pack

| PRODI | JCT FEA | TURES | NO. 11 | 0700.0 | 2 | |
|---------|-----------|------------|--------|--------|------------|--|
| Technic | al featur | es | | | | |
| | | O
X-RAY | Ŕ | | \bigcirc | |
| Main cu | itting ma | terials | | | | |
| *** | \sim | | | | | |

» all cutting materials from page 131 onwards

» further information from page 121 onwards

| ACC | ESS | ORI | ES | |
|-----|-----|-----|----|--|
| | | | | |

| 8 | BELT HOLSTER M WITH CLIP | NO. 9921.08 |
|---|--------------------------|-------------|
| • | MDP TEST CARD SET | NO. 9910.09 |

| | SECUNORM SMARTCUT MDP
1 in single unit box (20 in multipack) | NO. 110700.02 |
|------------|---|---------------|
| ALL MODELS | | ORDER NO. |
| | | |

Installed blade The stainless steel blade cannot be changed. Blade thickness 0.63 mm.

Weight per unit (single unit box)

PRODUCT DETAILS

Knife size (L x W x H)

Main material

Weight

» further information from page 121 onwards



plastic

23.5 g

26.8 g

Our cutting tools are not only suitable for daily use in the work place. They can be invaluable in situations that we don't come across every day. Traffic accidents, for example: our concealed-blade SOS cutters can assist in cutting safety belts and removing clothing.

SECUMAX SALVEX SOS NO. 538.02

First-aid cutter and hammer in one.

In the event of an accident, it's paramount that you react quickly and calmly. An intuitively operable first-aid cutter with multiple uses can be a lifesaving tool. Use the SECUMAX SALVEX SOS to smash the side-window of a crumpled car. Use the concealed blade to cut through seat belts and other trapping materials, and finally, to quickly open clothing. Being able to help is a great thing!



Application





» all cutting materials from page 131 onwards

PRODUCT DETAILS

| Knife size (L x W x H) | 187 x 24 x 77 mm |
|-----------------------------------|------------------|
| Main material | Plastic |
| Weight | 140.0 g |
| Weight per unit (single unit box) | 215.0 g |

| ACCE | SSORIES | ORDER NO. |
|------|---|---------------|
| Ô | USED BLADE CONTAINER | NO. 9810.08 |
| | WALL MOUNT BRACKET USED BLADE CONTAINER | NO. 9845.06 |
| 0 | SAFEBOX | NO. 108000.00 |

» further information from page 121 onwards



90% of original size



Especially robust Hammer included The SECUMAX SALVEX SOS consists of robust plastic and is therefore robust and up for the job. So you can always rely on it for emergencies. And that too, for a long time. panes.



4-cutting edge blade Your first-aid cutter will not Since the blade has four even be stopped by safety sharp edges, you can turn glass. Use the integrated and turn it over several emergency hammer made times. Thanks to the conof specially hardened steel stantly "fresh" blade, a perfectly functioning cutto smash window and side ting tool is available to you in emergency situations.



For right and left handers Eyelet and holder There are situations in Very important: you have your first-aid cutter with which every second counts. That's why the SECUMAX you. Also important: you SALVEX SOS is always ready can always find it again for use. The question of quickly. That's why the SECUMAX SALVEX SOS not whether you are right or left handed does not arise. only has an evelet for attaching, but also a separate as it fits into any hand. holder for the car.



SECUMAX SALVEX SOS with INDUSTRIAL BLADE NO. 37040 1 in single unit box (10 in multipack)

ORDER NO. NO. 538.02

| MOUNTABLE | MOUNTABLE BLADES | |
|-----------------------|--|--------------|
| 000 | INDUSTRIAL BLADE NO. 37040
0.40 mm, 10 in transparent pack | NO. 37040.60 |
| 000 | INDUSTRIAL BLADE NO. 37044
0.40 mm, deep-edged, 10 in transparent pack | NO. 37044.60 |
| 000 | INDUSTRIAL BLADE NO. 37030
0.30 mm, 10 in magazine | NO. 37030.50 |
| (| INDUSTRIAL BLADE NO. 36030
0.30 mm, 10 in magazine | NO. 36030.50 |
| 000 | INDUSTRIAL BLADE NO. 13730
0.30 mm, stainless, 10 in transparent pack | NO. 13730.60 |
| 000 | INDUSTRIAL BLADE NO. 83730
0.30 mm, stainless, TiN-coated,
100 blades (each paper-wrapped) | NO. 83730.31 |
| $(\circ \circ \circ)$ | INDUSTRIAL BLADE NO. 83630
0.30 mm, stainless, TiN-coated,
500 blades (each paper-wrapped) | NO. 83630.35 |

SECUMAX SOS-CUTTER NO. 537.00

At your side in an emergency.

Safety belts are important for survival. They can however be a hindrance in the aftermath of an accident. They can trap injured people in dangerous situations. The SECUMAX SOS-CUTTER provides the perfect solution. You can use it to reliably cut through any safety belt, whether as a doctor, paramedic or accident witness. The safety knife is also suitable for cutting through clothing, which in some cases also has to be removed.

Application


| Technical features | |
|------------------------|--|
| | |
| Main cutting materials | |
| | |

» all cutting materials from page 131 onwards

PRODUCT FEATURES NO. 537.00

PRODUCT DETAILS

| Knife size (L x W x H) | 124 x 8.5 x 43.5 mm |
|-------------------------------------|---------------------|
| Main material | Plastic |
| Weight | 27.5 g |
| Weight per unit (self-service card) | 38.6 g |





Handy shape

Practical eyelet You can work with the SECUMAX SOS-CUTTER is just as much a part of particularly effectively if your vehicle as the firstyou put a finger through aid set. Your safety knife the opening. Or, on the other hand, you can push comfortably supported gencies. by the flat design and the rounded edges.



Perfect place The SECUMAX SOS-CUTTER As an alternative, you can attach the safety knife using the integrated velcro fastener. On the dashhas an eyelet for attaching board, for example. That makes it available quickly so that it is handy in emerwithout it "flying around" in the vehicle.

ALL MODELS



ORDER NO. NO. 537.00

Installed blade The blade is moulded into the body of the knife and cannot be changed. Blade thickness 0.30 mm.

Accessories are your little assistants. In the best sense of the word. Our accessories can assist you to safely store your cutting tool. Or to dispose of your used blades in the best possible way. **O**


BELT HOLSTER L WITH CLIP NO. 9922.08

Everything always at hand: BELT HOLSTER L.

What do you do with your cutting tools when you are not actually using them? The MARTOR BELT HOLSTER L is a robust holder that allows you to carry all large MARTOR knives as well as our safety scissors at all times. In addition, the interior and exterior pockets are designed to allow you to load different tools: for example you can carry an extra safety knife, a pen and a pack of blades. The MARTOR BELT HOLSTER is the ideal place to stow your tools safely when moving from A to B - and have them at hand, as soon as they are required.







BELT HOLSTER M WITH CLIP NO. 9921.08





Everything always at hand: BELT HOLSTER M. The MARTOR BELT HOLSTER M is a robust hold-

er that allows you to carry all midsize MARTOR knives as well as our safety scissors at all times. In addition, the interior and exterior pockets are designed to allow you to load different tools: for example you can carry an extra safety knife, a pen and a pack of blades.

PRODUCT DETAILS NO. 9921.08

| Size (L x W x H) | 215 x 60 x 28 mm |
|-------------------------|------------------|
| Main material | Nylon |
| Weight | 65.0 g |
| Weight per unit (loose) | 65.0 g |
| | |

BELT HOLSTER S WITH CLIP NO. 9920.08



25% of original size

25% of original size

Everything always at hand: BELT HOLSTER S.

The MARTOR BELT HOLSTER S is a robust holder that allows you to carry all compact MARTOR knives as well as our safey scissors at all times. In addition, the compartments are designed to allow you to load different tools: for example you can also carry a pen or a pack of blades.

PRODUCT DETAILS NO. 9920.08

| Size (L x W x H) | 215 x 53 x 23 mm |
|-------------------------|------------------|
| Main material | Nylon |
| Weight | 58.0 g |
| Weight per unit (loose) | 58.0 g |

47% of original size



Does it fit? Fits perfectly Our MARTOR BELT HOL-STERS S, M and L are precisely tailored for our knives - and not just that. Depending on the size of the pocket, it allows you to carry a combination of various tools: knife/pen. knife/scissors, knife/knife, knife/pen/scissors etc.



2 attachment options Intelligent spacesaver With the MARTOR BELT The BELT HOLSTER can be HOLSTER you will always attached to your belt in two ways: by clip-on or discover new storage opvelcro fastener. Velcro is tions. A compartment here, a slot there – all designed recommended for belts; so precisely to ensure the the clip can also be used contents are kept as firmly on many other areas of as necessary while offering your clothing, such as your you maximum flexibility. trouser pocket.



Size (L x W x H)

Main material

Weight per unit (loose)

Weight

PRODUCT DETAILS NO. 9922.08

215 x 68 x 40 mm

Nylon

76.0 g

76.0 g

The BELT HOLSTER is now



an integral part of everyday working life. So there is no inconvenience. This is further guaranteed by its durable nylon material, washable at 40°C, which is held together by double seams - even when subject to permanent use.





Application



Suggested equipment: BELT HOLSTER S For example for - SECUNORM 500 - SECUMAX 363

123

marto

HOLSTER LARGE NO. 9843.08



50% of original size

Application

For our wider cutting tools.

Your cutting tool will feel comfortable in this plastic HOLSTER. Attach it to your belt or with a clip to "utility" pockets, or use it as a knife station at your workplace. The larger HOLSTER in black is suitable, for example, for the SECUPRO MAXISAFE.

PRODUCT DETAILS NO. 9843.08

| Size (L x W x H) | 109 x 50 x 44 mm |
|-------------------------|------------------|
| Main material | Plastic |
| Weight | 28.6 g |
| Weight per unit (loose) | 28.6 g |
| | |

SAFEBOX NO. 108000.00



50% of original size

USED BLADE CONTAINER NO. 9810.08

25% of original size

WALL MOUNT BRACKET USED **BLADE CONTAINER** NO. 9845.06



Application

Application

Application



PRODUCT DETAILS NO. 108000.00 Size (L x W x H) 94 x 18 x 42 mm Main material Plastic Weight 33.6 q Weight per unit (self-service card) 43.7 q

Your personal used-blade bank.

BLADE CONTAINER.

The SAFEBOX is large enough to store a large

time, it is compact enough to carry with you

The two slits are not only used for filling, but

also to "shorten" your snap-off blades. When

your SAFEBOX is full, empty it into your USED

number of used blades safely. And at the same

For the final disposal of your blades.

You can fill the USED BLADE CONTAINER with the content of your SAFEBOX. Or directly with your used blades. When the box is full, turn the lid until it shuts. Now the box cannot be reopened. The next step is to safely and completely dispose of the filled USED BLADE CONTAINER as normal waste.

PRODUCT DETAILS NO. 9810.08

| Size (L x W x H) | 107 x 105 x 210 mm |
|-------------------------|--------------------|
| Main material | Plastic |
| Weight | 260.0 g |
| Weight per unit (loose) | 260.0 g |
| | |

Makes the USED BLADE CONTAINER accessible to all.

Include it in your order now! With this mounting bracket you can fix your USED BLADE CONTAINER to a central location. Use the clamp and screws and nuts supplied with the product to attach it to either a pipe or a rod.

PRODUCT DETAILS NO. 9845.06

| Size (L x W x H) | 94 x 51 x 94 mm |
|-----------------------------------|-----------------|
| Main material | Plastic |
| Weight | 123.0 g |
| Weight per unit (single unit box) | 178.0 g |

HOLSTER SMALL NO. 9842.08



50% of original size

Application

marto

PRODUCT DETAILS NO. 9842.08

range.

For our more slender cutting tools. This blue plastic HOLSTER is just like the black

version, only smaller. Use it to safely store and

transport for example for the SECUNORM 500 and SECUNORM 300. With this HOLSTER on your hip, your knife will always be within grasping

| Size (L x W x H) | 104 x 33 x 40 mm |
|-------------------------|------------------|
| Main material | Plastic |
| Weight | 24.0 g |
| Weight per unit (loose) | 24.0 g |




45% of original size

marto


CUTTING MAT NO. 3001.06

CUTTING MAT with self-healing capabilities. Size 620 x 870 mm.

Do you want to cut without damaging the working surface? No problem. For cutting paper, card, film etc. it is best to use a high-quality MARTOR CUTTING MAT. The mat is made of three layers: a solid core and two resistant outer surfaces. It therefore easily tolerates even high-pressure cutting. The CUTTING MAT always remains smooth and enables you to continue working cleanly. An added aid are the printed grids in cm and inches.



10% of original size



PRODUCT DETAILS NO. 3001.06

Size (L x W x H)

Main material

Weight per unit (polybag)

Weight

ALL MODELS

CUTTING MAT NO. 3005.06

CUTTING MAT with self-healing capabilities. Size 148 x 210 mm.

Do you want to cut without damaging surfaces? No problem. For cutting paper, card, film etc. it is best to use a high-quality MARTOR CUTTING MAT. The mat is made of three layers: a solid core and two resistant outer surfaces. It therefore easily tolerates even high-pressure cutting. The CUTTING MAT always remains smooth and enables you to continue working cleanly. Also helpful are the descriptions of MARTOR safety technology printed on the mats.





PRODUCT DETAILS NO. 3005.06

| Size (L x W x H) | 210 x 148 x 3 mm |
|---------------------------|------------------|
| Main material | Plastic |
| Weight | 120.0 g |
| Weight per unit (polybag) | 120.0 g |

| CUTTING MAT 620 x 870 mm
1 in polybag | NR. 3001.06 |
|---|-------------|
| CUTTING MAT 440 x 620 mm
1 in polybag | NR. 3002.06 |
| CUTTING MAT 320 x 440 mm
1 in polybag | NR. 3003.06 |

870 x 620 x 3 mm

ORDER NO.

Plastic 2,200.0 g

2,200.0 g

CUTTING MAT 230 x 320 mm NR. 3004.06 1 in polybag




40% of original size

 Self-healing
 Printed grids

 MARTOR cutting mats are equipped with a self-healing surface. They tolerate cuts from the sharpest MARTOR blades and under the high est pressures and look new again after cutting.
 Printed grids

126



Large selection MARTOR cutting mats are available in five different sizes, from very large to very small. Depending on the task and the working environment, you'll always find the format you need at MARTOR.



Self-healing MARTOR cutting mats are equipped with a self-healing surface. They tolerate cuts from the sharpest MARTOR blades and under the highest pressures and look new again after cutting.



With safety technologies You can find out how the three MARTOR Safety technologies differ by just looking at the small cutting mat. The front is in German and English, the back in French and Spanish.



Large selection MARTOR cutting mats are available in five different sizes, from very large to very small. Depending on the task and the working environment, you'll always find the format you need at MARTOR.

marto

PRESENTATION FOLDER PPE LARGE NO. 900958.08



20% of original size

PRESENTATION FOLDER PPE SMALL NO. 900957.08



20% of original size

PRESENTATION FOLDER EMPTY NO. 900949.08



20% of original size

Large selection of cutting tools. Convincing presentation.

Our MARTOR PRESENTATION FOLDER is designed to help you transport our cutting tools safely and present a convincing demonstration. Inside our PRESENTATION FOLDER PPE LARGE, you will find high-quality safety knives and scissors as well as various press releases and instructions at hand.

PRODUCT DETAILS NO. 900958.08 Size (L x W x H) 335 x 267 x 60 mm Main material Nylon Weight 2,610.0 g Weight per unit (loose) 2,610.0 a

Compact selection of cutting tools. Convincing presentation.

Our MARTOR PRESENTATION FOLDER is designed to help you transport our cutting tools safely and present a convincing demonstration. Inside OUR PRESENTATION FOLDER PPE SMALL, you will find high-quality safety knives and scissors as well as various press releases and instructions at hand.

PRODUCT DETAILS NO. 900957.08

| Size (L x W x H) | 335 x 267 x 50 mm |
|-------------------------|-------------------|
| Main material | Nylon |
| Weight | 2,450.0 g |
| Weight per unit (loose) | 2,450.0 g |
| | |

Flexible assortment. Convincing presentation. Our MARTOR PRESENTATION FOLDER is de-

signed to help you transport our cutting tools safely and present a convincing demonstration. Our PRESENTATION FOLDER EMPTY invites you to select and place items inside according to your wishes - i.e. your preferred choice of our high-quality safety knives and scissors as well as the relevant MARTOR press releases and instructions.

PRODUCT DETAILS NO. 900949.08

| Size (L x W x H) | 335 x 267 x 17 mm |
|-------------------------|-------------------|
| Main material | Nylon |
| Weight | 495.0 g |
| Weight per unit (loose) | 495.0 a |

LOCKING KEY EASYSAFE NO. 9890.74



Application

To lock your SECUMAX EASYSAFE.

You can lock the blade change of your SECUMAX EASYSAFE using this accessory. Locking blade change has no influence on blade performance. It simply enables blade change to be controlled by giving the sole rights to the person holding the key. An additional safety measure for particularly careful companies.

PRODUCT DETAILS NO. 9890.74

| Veight | 31 x 9.8 x 14.5 mm |
|--------------------------------|--------------------|
| Main material | Plastic |
| Weight | 1.0 g |
| Weight per unit (5 in polybag) | 6.2 g |

MDP TEST CARD SET NO. 9910.09



70% of original size

Simulate external bodies. Increase safety.

There are five cards with different plastic balls in the MDP TEST CARD SET - between 2.5 mm and 8 mm in size. You can reliably test the effectiveness of your metal detectors using the "visiting card".


PRODUCT DETAILS NO. 9910.09

| Size (L x W x H) | 101 x 68 x 0.5 mm |
|--------------------------------|-----------------------------|
| Main material | Metal detectable
plastic |
| Weight | 3.0 g |
| Weight per unit (5 in polybag) | 15.0 g |

MATRIX FOR CUTTING MATERIALS

We have classified cutting materials based on our many years of experience gained on-site from customers as well as in countless in-house cutting tests. Such classification is however only a guide.

Therefore, please check every time whether the recommended safety knife is suitable for your specific cutting needs and conditions. MARTOR will of course be happy to assist you in this.



MATRIX FOR CUTTING MATERIALS

| | | | | Cardboard: 1-ply | Cardboard: 2-ply | Cardboard: 3-ply | Cardboard: 4-ply | Bagged goods | Wrapping, stretch, and shrink foil | Slabbing material off a roll | Tape | Plastic strapping band | Yarn, cord | Foam, polystyrene | Layers of foil or paper | Textile, material | Coated film | Laminated film | Carpet | Safety belt | Leather | Rubber | Envelope | Fleece | Felt | PVC | Self-adhesve label |
|----|-------------|-------------------|------------------|------------------|------------------|------------------|------------------|--------------|------------------------------------|------------------------------|------|------------------------|------------|-------------------|-------------------------|-------------------|-------------|----------------|--------|-------------|---------|--------|----------|--------|------|-----|--------------------|
| | SECUMAX | ARTICLE
NUMBER | CUTTING
DEPTH | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | SECUMAX 565 | 565001 | - (| • | • | | | | • | | | • | • | | • | • | | | | | • | | | | • | • | |
| _0 | SECUMAX 564 | 564001 | - (| | • | | | | • | | | • | • | | • | • | | | | | | | | | | • | |
| | SECUMAX 363 | 363001 | - | | | | | | • | | | • | • | | • | • | | | | | | | | | | | |

| | SECUPRO | ARTICLE
NUMBER | CUTTING
DEPTH | | | | | | | | | | | | | | | | |
|----------|---------------------|-------------------|------------------|---|---|--|---|---|---|--|--|---|--|--|---|--|-----|---|--|
| | SECUPRO 625 | 625001 | 21 | • | • | | • | • | | | | | | | | | • | • | |
| | SECUPRO 625 | 625001 | 15 | • | | | • | • | | | | • | | | | | • | • | |
| <u>~</u> | SECUPRO
MARTEGO | 122001 | 9 | • | | | • | • | • | | | • | | | | | | • | |
| | SECUPRO
MERAK | 124001 | 9 | • | | | | • | | | | | | | | | | | |
| | SECUPRO
MEGASAFE | 116006 | 17 | • | • | | • | • | • | | | | | | (| | • • | • | |
| | SECUPRO
MAXISAFE | 10130610 | 16 | • | • | | | • | | | | | | | | | • | | |
| | SECUPRO
MAXISAFE | 10150610 | 16 | • | • | | | • | • | | | | | | | | • | | |

| | SECUNORM | ARTICLE
NUMBER | CUTTING
DEPTH | | | | | | | | | | | | | | | | | | | | | |
|----|--------------|-------------------|------------------|---|---|---|---|---|---|---|---|--|-----|---|---|---|---|--|--|--|--|---|---|--|
| | SECUNORM 500 | 50000110 | 17 (| | • | | | | ¢ | | | | | | • | • | | | | | | | | |
| -0 | SECUNORM 500 | 50000210 | 9 (| • | • | | (| • | • |) | • | | • | | • | • | | | | | | | | |
| -0 | SECUNORM 500 | 50000310 | 5 (| • | | | | | • | | • | | • | | • | • |) | | | | | | | |
| | SECUNORM 300 | 30000110 | 17 (| • | • | | (| • | • |) | • | | • | | • | • | | | | | | • | | |
| | SECUNORM 525 | 52500410 | 21 | • | • | | (| • | • | • | | | • • | • | • | • | | | | | | • | • | |
| | SECUNORM 540 | 54000410 | 36 | • | • | | | • | • |) | • | | • | • | • | • |) | | | | | • | • | |
| - | SECUNORM 380 | 380001 | 73 | • | • | • | | • | ļ |) | • | | (| • | • | | | | | | | • | • | |
| | SECUNORM 380 | 380005 | 73 | • | • | • | | • | • |) | • | | (| • | • | | | | | | | • | • | |

MATRIX FOR CUTTING MATERIALS

| | | | Cardboard: 1-ply | Cardboard: 2-ply | Cardboard: 3-ply | Cardboard: 4-ply | Bagged goods | Wrapping, stretch, and shrink foil | Slabbing material off a roll | Tape | Plastic strapping band | Yarn, cord | Foam, polystyrene | Layers of foil or paper | Textile, material | Coated film | Laminated film | Carpet | Safety belt | Leather | Rubber | Envelope | Fleece | Felt | DVC | Self-adhesve label | |
|-----------------------|-------------------|------------------|------------------|------------------|------------------|------------------|--------------|------------------------------------|------------------------------|------|------------------------|------------|-------------------|-------------------------|-------------------|-------------|----------------|--------|-------------|---------|--------|----------|--------|------|-----|--------------------|---|
| SECUNORM | ARTICLE
NUMBER | CUTTING
DEPTH | | | | | | | | | | | | | | | | | | | | | | | | | |
|
SECUNORM
MIZAR | 125001 | 15 | • | • | • | | • | • | | • | • | • | | • | • | | | | | | | | | | | | _ |
| SECUNORM 175 | 175001 | 10 | • | • | | | • | • | | • | • | • | | • | | | | | | | | | | | | | _ |
| SECUNORM
HANDY | 445 | 9 | • | • | | | • | • | | • | • | • | | • | • | | | | | | | | | | | | |
| SECUNORM 185 | 18500410 | 9 | • | • | | | | • | | • | • | • | | • | • | | | | | | | | | | | | _ |
| SECUNORM
SMARTCUT | 110000 | 12 | • | • | | | | • | | • | | • | | • | | | | | | | | | | | | | _ |
| SECUNORM
MULTISAFE | 8152 | 22 | • | • | • | | | | • | • | • | | | | • | | | • | | • | • | | • | • | • | | |

| | SECUBASE | ARTICLE
NUMBER | CUTTING
DEPTH | | | | | | | | | | | | | |
|---|--------------|-------------------|------------------|--|--|--|--|--|--|---|---|--|--|--|--|--|
| - | SECUBASE 383 | 383001 | 3-73 | | | | | | | • | | | | | | |
| - | SECUBASE 383 | 383005 | 3-73 | | | | | | | • | • | | | | | |

| | MDP KNIVES | ARTICLE
NUMBER | CUTTING
DEPTH | | | | | | | | | | | | | | |
|---|---------------------------|-------------------|------------------|-----|--|---|---|---|---|--|--|--|--|--|--|--|--|
| | SECUMAX 320
MDP | 32000771 | 4 | • | | | | • | | | | | | | | | |
| | SECUMAX 150
MDP | 150007 | 6 | • | | | | • | | | | | | | | | |
| | SECUMAX 145
MDP | 145007 | 4 | • | | | | • | | | | | | | | | |
| | SECUMAX
POLYCUT MDP | 85007 | 3 | | | • | | • |) | | | | | | | | |
| 5 | SECUMAX RING
KNIFE MDP | 307 | 6 | | | | | | | | | | | | | | |
| | SECUNORM
PROFI25 MDP | 120700 | 21 | • • | | | | • | | | | | | | | | |
| - | SECUNORM
PROFI40 MDP | 11900771 | 36 | • • | | | | • | | | | | | | | | |
| - | SECUNORM
HANDY MDP | 447 | 9 | • • | | |) | • | | | | | | | | | |
| | SECUNORM
SMARTCUT MDP | 110700 | 12 | • • | | • | | • |) | | | | | | | | |

BLADE MATRIX

| SECUN | | | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | | 0000 | | | |
|-------|---------------------|-------------------|---------------------------------------|---|--|---|---|----------------------------------|--------------------------|
| | | | s tainles s | deep-edged, 0.40 mm deep-edged, deep-edged, stainless, 0.40 mm edged, 0.50 mm | - stainless, 0.30 mm
0.10 mm
0.20 mm | - 0.30 mm - 0.30 mm - 0.40 mm - 0.40 mm | stainless, 0.15 mm 0.10 mm | | - stainless, TiN,0.30 mm |
| | | | 45 | 92043
192043
92C | 13730
37010
37020 | 37030
37040
37044
83715
83730 | 13615
36010 | 36013
36020
36030
83615 | 055E
0E9E8 |
| | SECUMAX | ARTICLE
NUMBER | | | | | | | |
| | SECUMAX
320 | 32000110 | | • • • | | | | | |
| | SECUMAX
320 MDP | 32000771 | | • | | | | | |
| | SECUMAX
350 | 350001 | | | | | | | • |
| | SECUMAX
EASYSAFE | 121001 | • • | | | | | | |
| 5 | SECUMAX
OPTICUT | 436 | | | 0 | | | | |
| 6 | SECUMAX
OPTICUT | 437 | | | 0 | | | | |
| 444 | SECUMAX
SNITTY | 43037 | | | • • • | 0 00 | 00 | 0 0 0 0 0 0 | 0 |
| 2 | SECUMAX
MOBILEX | 45137 | | | • | 0 00 | 0 | 0000 | 0 |
| £ | SECUMAX
COUPPY | 43136 | | | | | 00 | 00000 | 0 |
| | SECUMAX
SALVEX | 538 | | | 0 | | | 0 | 0 |

>> only knives with changeable blades

| BLADE
SECUP | MATRI
RO | Х | 00 Oo
mm E3.0 | | 0 0 | | 0 0
mm E9.0 | 0.63 mm | 0 | 0.40 mm |
|----------------|---------------------|----------|------------------|---|---|---|---|---------|---|----------------------|
| | | | | | − deep-edged,
rounded blade tips,
0.63 mm | ceramic, deep-edged,
arounded blade tips,
0.65 mm | deep-edged, rounded blade tips, 0.63 mm | | - 0.40 mm 0.40 mm - stainless, 0.40 mm - edged, 0.50 mm | - rounded blade tips |
| | | ARTICLE | 66 | 1 | 66009 - | 766009- | - 60095 | 86 | - 92
- 92C | - 60092 |
| | SECUPRO | NUMBER | | | | | | | | |
| | SECUPRO
625 | 625001 | 00 | | • | | 0 | 0 | | |
| | SECUPRO
625 | 625095 | 00 | | 0 | | • | 0 | | |
| <u>~</u> | SECUPRO
MARTEGO | 122001 | | | | | | | • • • | 0 |
| | SECUPRO
MERAK | 124001 | | | | | | | $\phi \phi \phi$ | 0 |
| | SECUPRO
MEGASAFE | 116006 | 00 | | • | 0 | | 0 | | |
| | SECUPRO
MAXISAFE | 10130610 | 00 | | • | 0 | | 0 | | |
| <u> </u> | SECUPRO
MAXISAFE | 10150610 | 00 | | • | 0 | | 0 | | |

>> only knives with changeable blades

martor

martor

| | E MATRIX
IORM St | | ٩SE | | | •••••••••••••••••••••••••••••••••••••• | | | | mm E9:0 | | •••O•• | 0.63 mm | 00 | | | | 0.63 mm | | 0.63 mm | | 0.63 mm | EB.C | 0.63 mm | | | | | | 0.40 mm | 00()00
↓ | | 0.50 mm | 0.50 mm |
|-------------------|-------------------------|-------------------|-----------------------|-------|------------------------------|--|------------|----|---------|------------|-------------|--|---|---|--|----|---------|-----------------------|---------|--------------------|----|-----------------------|-----------|---------|----------------------------------|----------------|-----------------------|-------------------------------------|--|---------|-------------|---------------------|-------------|-------------------------|
| | | | stainless, TiN
TiN | dei | -1-sided ground-edge
T IN | s tai
-sided ground- | deep-edged | | 0.45 mm | deep-edged | deep-edged, | ceramic, deep-edged,
rounded blade tips,
0.65 mm | deep-edged,
deep-edged,
stainless | - deep-edged,
rounded blade tips,
0.63 mm | ceramic, deep-edged,
rounded blade tips,
0.65 mm | | 0'50 mm | - inscription "Tekli" | Wolfram | rounded blade tips | | - inscription "Tekli" | | | - 0,40 mm - stainless, 0.40 mm - | ceramic, deep- | - deep-edged, 0.40 mm | - deep-edged,
stainless, 0.40 mm | rounded blade tips | | stainless | م امتراد
المحافظ | stainless — | stainless serrated edge |
| | | | 852 | 85232 | 85233 | 610 | 5232 | | 54045 | 51 | 65232 | 65232C - | - 66
199 | 66009 | - 366009 | 54 | 56 | 58065 | - 22 | 5634 | 86 | 8 | 1
73 5 | 3 | 92 | 92C | 92043 | 192043 | 60092 | | 45 | 7940 | | 79
179
379 |
| | SECUNORM | ARTICLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | SECUNORM 500 | 50000110 | 00 | 0 | 0 0 | 0 | 0 C | | | | • | 0 | | | | | 0 | | | 0 | | | | | | | | | | | | | | |
| -0 | SECUNORM 500 | 50000210 | 00 | 0 | 0 0 | 0 | 0 C | | | | • | 0 | | | | | 0 | | | 0 | | | | | | | | | | | | | | |
| -0 | SECUNORM 500 | 50000310 | 00 | 0 | 0 0 | 0 | 0 C | | | | • | 0 | | | | | 0 | | | 0 | | | | | | | | | | | | | | |
| | SECUNORM 300 | 30000110 | 00 | 0 | 0 0 | 0 | 0 C | | | | • | 0 | | | | | 0 | | | 0 | | | | | | | | | | | | | | |
| | SECUNORM 525 | 52500410 |) | | | | | | | | | | • • | 0 | 0 | | | | | | 0 | | | | | | | | | | | | | |
| | SECUNORM
PROFI25 MDP | 120700 | | | | | | | | | | | • | | | | | | | | | | | | | | | | | | | | | |
| | SECUNORM 540 | 54000410 |) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • • | 5 | |
| - | SECUNORM
PROFI40 MDP | 11900771 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | SECUNORM 380 | 380001 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 0 | > (| |
| | SECUNORM 380 | 380005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 0 | | |
| | SECUNORM
MIZAR | 125001 | 00 | 0 | ϕ | 0 | • ¢ | | | | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | SECUNORM
175 | 175001 | | | | | | | | | | | | | | | | | | | | | | | | | | | | (| • • | | | |
| | SECUNORM
185 | 18500410 | D | | | | | | | | | | | | | | | | | | | | | | • | • • | 0 | 0 | 0 | | | | | |
| | SECUNORM
HANDY | 445 | | | | | | | | | | | | | | | | | | | | | | | | | | | | (| • • | | | |
| - | SECUNORM
HANDY MDP | 447 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | | | |
| | SECUNORM
MULTISAFE | 8152 | 00 | 0 | 0 (| 0 | • ¢ | 00 | 0 | 00 | 0 | | | | | 00 | 00 | 0 0 | 0 | 0 | (| 0 0 | | > | | | | | | | | | | |
| | | 1 | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | |
| | SECUBASE | ARTICLE
NUMBER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | SECUBASE 383 | 383001 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 0 | 5 | |
| | SECUBASE 383 | 383005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 0 |) (| |
| >> only knives wi | th changeable blades | | | | | | | | | | | | <u> </u> | | | |
 | | | | | | | | | | | | | | | >> onl | ıly knives | with changeable blade |

martor

OUR WEBSITE. WITH CUSTOMER-ORIENTED SERVICES.

When looking for the best possible product there is nothing like personal assistance, which is one of our strengths. Nevertheless, we would like to satisfy your needs in the best possible way also in other areas – e.g. on our website www.martor.com. Where you can find functionalities, such as the product filter, providing you with an even better overview of our cutting solutions.



Which material do you want to cut? And what technical properties should your safety knives have? You can access a selection of suitable products quickly and comfortably through these and many other filter functions. A suitable supplier can be found, for example, via our new distributor search.



WWW.MARTOR.COM



Compare all

No doubt there are cutting tools in our product range that are similar. So it's worth it to take a second view. With the functionality to compare products, you can select up to four cutting tools and check them against each other. Discover the product details to find the most suitable cutting tool.

OUR ADDITIONAL SERVICE MEDIA: SAFETY POSTERS, TRAINING VIDEOS ETC.

You can request these and all other service media directly from us – ideally by calling our service number or by visiting our website, where they are available for download. Our training-based media, such as product-specific safety posters and training videos, help customers to safely and efficiently use our safety knives.



| - | | | | |
|---|---------------------|-------------|---------------|-----------------------------|
| - | | | | 1.1 |
| | 1 | | | |
| - | And all a lots | and a state | and the state | |
| | 100 | 100 | 306 | |
| - | | - 14 | - inter | |
| | Statistics. | 20100 | Thursday. | |
| - | Table of Concession | Tana and | Taxa and | And Division of Tax barries |









Control box Datch Dox UND Down The Down

Safety poster

The safety poster is a combination of a short description and an operating manual. In large-format illustrations and short texts, it illustrates the optimum use of our safety knives thereby aiding both users and safety officers in their work. It is best to hang up the posters in relevant places – in storage rooms, in the area of goods receipt, in production sites etc.

Knife plan

Each MARTOR knife plan is unique. We work with a company's safety officers, plant managers, etc. to create an individual plan which portrays and describes the cutting tools currently in use at your premises. The plan also serves as instructions for users and clearly specifies which MARTOR knife is to be used in which area and for which purpose. This also aids occupational safety and work efficiency.

Technical data sheet

How long and wide is the safety knife? What technical properties does it have? Which certifications has it received and when? The technical data sheet will answer these and many other questions. You can use the compact collection of data and facts very well to introduce a new cutting tool in your inventory control system.

Product flyer

Our most important cutting tools have their very own medium – the product flyer. They comprise all details of everything you need to know about the respective safety knife. As in the catalogue, products are shown in their original size to give you a better idea of the real tool.

Product flyer

We use factsheets to briefly present individual products, product families and other new features. Distributors and customers get all the facts, features and highlights at a glance. Images of applications indicate what this product is best suited for.

Videos

In our real-life training videos, you get to look over the user's shoulder and gain a direct view of his hands. You then learn step by step how to cut, change blades, clean your safety knife, etc. Our animated product videos give a quick overview of the features and advantages of MARTOR cutting tools. They are therefore perfect for first impressions and also as compact sales aids for distribution partners. 0

One face to the customer

A personal point of contact awaits you at MARTOR's customer service. Accepting orders or giving detailed advice is delivered with the familiar MARTOR quality and with MARTOR's typical focus on the customer.

On-site advice*

Our technical consultants are also available for on-site visits to supplement telephone advice. From little "tricks on cutting" to major on-site surveys for complex cutting solutions, our technical consultants provide competent and professional services.

Quick delivery service

MARTOR delivers quickly and reliably from its Solingen warehouse. Depending on your location, products can also be provided at short notice by one of our worldwide distribution partners. The products use high-quality individual packaging and have multilingual operating instructions. Yet another example of MARTOR's professionalism.

Service media

8

Our catalogues and brochures come as standard. But are you also familiar with MARTOR safety posters? Or our customised knife plans? Or our MARTOR training videos? This package of supporting material ensures that safe cutting solutions can be installed sustainably within your company. This is service the MARTOR way.


Training and instruction*

Raising work safety is our goal. Our technical consultants are available to train and coach at your premises as well as participate in safety days, in-house exhibitions, etc. Our service media (e.g. training videos) also help your employees to practise using our safety knives properly. These media also promote acceptance of the new tools.

*only in certain countries

VALUABLE PRACTICAL TIPS. THE MOST COMMON CUTTING TYPES.

It's all a matter of technology. Whatever applies to the safety of our cutting tools, also applies to their best possible use. Here are a few tips on how you can cut and trim even better. We have focused on the most common cutting types.



Make a window cut

Cardboard boxes are ideal con-

tainers for transportation. The

question is, what's the best way to

get to the contents. If you want to

continue to use the cardboard box

for storage, the window cut is rec-

ommended. You do not open the

cardboard box from the top, but


cut a larger hole into the side. You

can remove your goods easily and

comfortably through this "window".

This type of cut is particularly wide-

spread in branch operations.



Remove the cover

If you would like to open your cardboard box from the top, then you

should decide to remove the cover.

As the name already suggests, you

completely remove the cover by

piercing the top edge and sliding

your cutting tool along the bent

fold once. You can also place your

side wall and cut all around it once.


Removing the cover can be done in

the area where goods are received

for example, if you want to take

out the goods "in one piece".


safety knife further down on the






Plastic straps are used to hold cardboard boxes with very heavy goods in them together. Or to fix several parcels on to a pallet. Many of our cutting tools are specialised in cutting open these strapping bands. We're sure you will have to deal with straps of varying strengths and quality. The more robust they are, the more it is recommended to cut at a 45 degree angle.







Remove film

Pallets are usually covered in wrapping and shrink film. You can find the suitable cutting tools in our product range to take these off, too. Especially those with a concealed blade which also protects your packed goods. Our film cutters usually have a pointed nose with which they can pierce into the cutting material. Or you can press the upper end of the film together with your free hand and create an initial starting point for cutting.

Cut open sacks

Raw materials in the food, pharmaceutical and plastic processing industries in particular are often delivered in bags, e.g. liquids, powders or granulates. You usually use a safety knife with a longer blade to open the paper, plastic or composite material bags. To be precise, you lay the bag down horizontally on a parapet for bulk goods and cut it open, with an L-cut on the top, for example.

Slab off a roll

Even if you associate other things with the term, slabbing material of a roll is as one of the most widespread cutting types in the paper and plastic film processing industry. There has often been an interruption in the production process beforehand. The goods on the roll tear onto the sleeve when rolling up. To make it usable again, the paper and film remains have to be peeled off. In other words: it is best to tear them open and remove them with a forceful cut. Also for this purpose, we have the ideal safety knife.

FOR A BETTER UNDERSTANDING. SPECIAL TERMS IN THE MARTOR WORLD.

We want you to use our products safely and efficiently. An important prerequisite is to understand us and our cutting tools. For convenient and easy guidance, we have compiled a glossary for you. Here you will find explanations for all special terms we use.

A > B

Adhesive tape splitter

Some of our cutting tools are also equipped with a tape splitter, for example, the SECUMAX 320. This has a reversible metal plate with two different splitting depths.

Automatic blade retraction

The blade retracts into the handle as soon as it leaves the cutting material. Condition: the slider is not held tight. Safety knives with automatic blade retraction are called SECUNORM \dots

Blade access

Blade access in our safety knives with concealed blades determines the gap between handle and nose. It is always narrow enough for your finger not to pass through but also wide enough to be able to work on certain cutting materials.

Blade carrier

The blade is positioned on the blade carrier. It is held in place by one or more locating lobes. Some blade carriers are also equipped with a small magnet to provide extra hold to the blade when blade changing.

Blade category

We call a specific superordinate group of blades a blade category. The designation takes place according to the shape (e.g. trapezoid blade, hooked blade etc.), area of use (e.g. industrial blade) or function (e.g. scraper blade, deburring blade).

Blade change

Most of our cutting tools are re-usable knives. We have made blade changing as easy, safe and comfortable as possible, so that you will not hurt yourself while doing so. And so that no blades get lost while changing them.

Blade change button

With certain safety knives you can use a blade change button to initiate the blade change.

Blade cover

The blade cover is the small plate lying on the blade. It holds the blade together with the blade carrier. In many of our cutting tools, you have to lift up the blade cover to change the blade.

Blade holder

B>C

The blade holder holds the blade by ensuring a constant pressed fit. The blade holder usually consists of an upper element (blade cover) and a lower element (blade carrier).

Blade slot

The blade slot is at the front of the handle. The blade extends outside the handle here and gets back in again.

Comfort

The useful properties of a cutting tool, such as its ergonomic shape or the easy and safe blade change increase your comfort when using it.

Concealed blade

The cutting tool is designed so that the blade is concealed from the outside. This means maximum protection: against cut injuries and damage to the packaged goods. We call safety knives with concealed blades SECUMAX ...

Cutting channel

The blade access (aperture) describes the area between handle and nose, all the way to the beginning of the cutting edge. However, the contact area determined by the cutting channel goes even further. Example SECUMAX 350: the entire area where cutting material comes into contact with the knife – starting at the entrance gate (aperture) between handle and nose across the blade and up to the plastic head of the knife – is what we call "cutting channel".

Cutting depth

The cutting depth determines how deep the blade can penetrate into the cutting material.

Cutting edge

We call the sharpened edge of the blade the cutting edge. We call the far end of the cutting edge the blade tip.

Cutting material

You use your cutting tool on cutting materials. What the knife cuts particularly well is classified as "main cutting materials". We call "secondary cutting materials" materials that can also be cut with the tool even though the MARTOR knife has not been specially designed for this purpose.

C > I

Cutting solutions

Together, our products, performance and services provide the guarantee for safe cutting solutions. Our solutions are always customised to a specific "cutting problem", e.g. specific cutting work, a certain cutting environment and/or a special cutting material.

Cutting types

In the type of cut, we describe how or for what users use their cutting tool. Examples are: cutting with tension, cutting under pressure, forceful cut or saw cut. The type of cut can also describe the result of cutting, for example, "window cut" or "removing the cover."

Disposable knife

Changing blades is not possible with our disposable knives. You can just dispose of them through the residual waste system after use.

Ergonomic shape

If a cutting tool has been designed so that it is especially pleasant to hold, we describe it as having an "ergonomic shape" or being "ergonomically shaped".

Eyelet

The eyelet is located at the end of the handle. It can be used to hang up the knife in a secure place. Pulling a cord through the eyelet enables other ways of attaching the MARTOR knife.

For right and left handers

If a knife can be used just as well by right and left handers, we highlight it in the form mentioned.

Fully automatic blade retraction

The blade retracts into the handle as soon as it leaves the cutting material – even if the slider (or lever) is held tight. Safety knives with fully automatic blade retraction are called SECUPRO...

Handle

The handle is the main component of our cutting tools. The slider, lever, buttons etc. can be found on the handle. The blade or the mechanism that pulls back the blade are concealed in the handle.

Installed blade

The blade normally supplied with the cutting tool is the installed blade. Other blades can however be used. We call these optional blades.

$| \rangle P$

Lever

The blade in our squeeze-grip knives is not released by a slider but by a lever. You have to operate the lever in the lower handle area for this purpose.

Material guide

Some safety knives are equipped with a bendable plastic material guide attached to the handle at the blade access area. The material guide's task is to hold down the material being cut and guide it to the blade at an optimum angle to prevent the material jamming.

Metal detectable

We have designed the product family of MDP knives especially for "sensitive" sectors such as the food and pharmaceutical industries. MDP stands for "metal detectable plastic". If MARTOR knives made of this special high-quality plastic unintentionally enter the production process, they can be detected and filtered out by a company's own detectors. This is an effective way to prevent malfunctions and contamination, even from the tiniest plastic particles.

Nose

A knife nose is to be found only in our safety knives with a concealed blade. In combination with the handle, the nose securely conceals the blade. The nose is generally pointed enough to make it easy to pierce cutting materials while being rounded enough to prevent injuries.

Optional blade

You can fit almost all our safety knives with an alternative MARTOR blade according to your requirements. This optional blade can be a hooked blade, for example (instead of the fitted trapezoid blade). It can also be stainless steel or TiN-coated. Or it will have rounded tips. Considering the approx. 200 blades in our product range, this is only a small selection of possible variants.

Plastic insert

Example SECUNORM HANDY: the complete inside part of a cutting tool that you have to pull out for blade change. We call it a plastic insert.

Product category

We call a specific superordinate group of cutting tools product category. We have three of these: 1. Safety knives, 2. Cutters, 3. Special cutters (scalpels, deburring cutters, scrapers, etc.).

FOR A BETTER UNDERSTANDING. SPECIAL TERMS IN THE MARTOR WORLD.

P > S

Product family

We call a sub-group of cutting tools connecting a certain characteristic a product family. These can also be found in various product categories. Examples are: MDP knives, disposable knives, promotional knives, squeezegrip knives etc.

Promotional knives

There is also a promotional knife variant of many of our cutting tools. In other words, without a MARTOR logo but with space for your logo or your claim. A premium give-away for your customers, friends and partners with a high user value and a long life.

Quality blade

All MARTOR blades are quality blades. Still, there are differences here that we communicate specifically, e.g. stainless steel or TiN-coated.

Safety lock

The safety lock prevents the blade from driving out of the handle unintended. Releasing the blade is usually done with the same element.

Safety knives

Although we have other high-quality cutting tools in our product range, safety knives are our core competence. They are called safety knives because they are equipped with a reliable safety technology: automatic and fully automatic blade retraction and a concealed blade. By using our safety knives, the number of cut injuries can be significantly reduced.

Safety level

We differentiate between four safety levels: optional safety (blade retraction and locking), a high degree of safety (automatic blade retraction), a very high degree of safety (fully automatic blade retraction) and maximum safety (concealed blade).

Safety technology

Our safety technologies include manual blade retraction (in non-safety knives only), automatic blade retraction (SECUNORM), fully automatic blade retraction (SECUPRO), concealed blade (SECUMAX) and optional safety (SECUBASE).

SECUBASE

SECUBASE is our product group name for cutting tools with safety options. SECUBASE safety knives generally feature retracting and fixed blade options which users can choose between.

S > W

SECUMAX

SECUMAX is the name we give to the group of cutting tools that provide maximum levels of work safety. SECUMAX safety knives generally have concealed blades that keep their distance from both users and packaged goods.

SECUNORM

SECUNORM is the name we give to the group of cutting tools that provide high levels of work safety. SECUNORM safety knives are generally equipped with automatic blade retraction to protect against cut injuries.

SECUPRO

SECUPRO is the name we give to the group of cutting tools that provide very high levels of work safety. SECUPRO safety knives are generally equipped with fully automatic blade retraction to protect against cut injuries.

Slider

Most of our safety knives with automatic or fully automatic blade retraction are equipped with a slider. By pushing the slider forward, the blade is brought into its cutting position.

Sliding base

In some of our safety knives with concealed blade, the handle leads into a sliding base. As the name suggests, the bottom of the base slides smoothly over the surface. At the same time, the cutting material is lead to the blade over the top of the sliding base.

Soft grip

We describe the soft plastic layer that makes a handle particularly resistant to slipping a soft grip.

Squeeze-grip knife

Current examples: SECUPRO 625, SECUPRO MARTEGO, SECUPRO MERAK and SECUNORM MIZAR. All these cutting tools belong to the young product family of innovative squeeze-grip knives. As with tongs, you will find an easily movable lever at the bottom of their handles. You can release the blade very comfortably with it.

TiN-coated

TiN stands for titanium nitride, a chemical compound comprising titanium and nitrogen. This material is known for its extreme hardness and corrosion resistance. Our TiN-coated blades are therefore subject to less wear and have a longer service life with a constant high-level of sharpness.

1 > 3

Wall strength

Some of our paper and film cutters are so delicate that we do not talk of "width" when talking about dimensions. Instead, we indicate the wall thickness of the handle, which is 2 or 3 mm, for example – the perfect solution for cutting in narrow slots and narrow spaces in between.

1-sided ground-edge/2-sided ground-edge

Depending on whether the cutting edge is only sharpened on one side or on both sides, we describe it as a 1-sided ground edge or 2-sided groundedge.

2-cutting edge/4-cutting edge blade If you can turn the blade around and use it several times, we call it a 2-cutting or 4-cutting edge blade.

3-in-1 blade head

Example SECUMAX 150: It has a separate blade head, suitable for three different uses: cutting, scraping, splitting.

3-in-1 safety lock

Example SECUNORM MIZAR: This squeeze-grip knife has a unique 3-in-1 safety lock. You cannot only lock and unlock the blade with it, but also initiate safe blade change. » Here you'll find the legend with our pictograms. Please open!

OUR PICTOGRAMS. ALL FEATURES AT A GLANCE.

Our pictogram system helps you to orientate yourself quickly, to compare products comfortably and to see the features which are useful for your cutting application at first glance.

Your safety

A glance at the icon is enough for you to know whether your cutting tool stands for maximum safety, very high safety, high safety or optional safety. We like to compare our safety technologies with a protective shield.

All about handles

Ergonomically shaped? With a soft grip for an even better hold? For right and left handers? Made of metal? Or plastic that can be metal detected? All this and much more you will find on these pictograms.

All about blades

Is a blade change possible? And, if so, with or without a tool? And how deep does the blade cut? It sometimes depends on every millimeter here. So take a good look!


Which product is best for which kind of material? Even if many of our safety knives are multi-talented, there are also small but subtle differences. These icons will assist you when searching for the best possible cutting solution.

Everything that makes your work easier is valuable. From belt holster to locking key to used blade container. Here you can find the relevant

accessories for each product.

Thanks to these pictograms, you can see instantly whether a compact product video and/or a training video is available. You can access the product video directly via the QR code shown next to the product. All other MARTOR media can be found at www.martor.com.

| Technic | al features | | | | |
|------------|--------------------------------|----------------------|-------------------------------|------------------------------------|---|
| \bigcirc | Maximum safety | \bigcirc | Very high safety | \bigcirc | High safety |
| \bigcirc | Optional safety | | | | |
| | Tape splitter | Ţ | Very abrasion
resistant | Ţ | Abrasion resistant |
| ⋓⋓ | For right and
left handers | \odot | Very ergonomic | | Ergonomic |
| | Soft grip | n d | Lanyard hole | _' '_
LOGO
_, _ | Printable for pro-
motional purposes |
| | Metal detectable | | X-ray detectable | | Fully metal
housing |
| Ē | Safety lock | | Heavy-duty | Å | Precision cutting |
| | Rounded-tip
trapezoid blade | ¥.
∎ | Cutting depth | M [⊥]
8 | Cutting edge
length |
| ×2 | 2-cutting edge
blade | | 4-cutting edge
blade | Æ | Disposable
knife |
| â | Blade change
with tool | (1) | Tool-less blade
change | $\langle \hat{\mathbf{Q}} \rangle$ | Safer blade change
(with magnet) |
| ζŝλ | Ceramic blade
compatible | + | Spare blades in
knife body |
⊢21⊣ | Scrape width |
| | Stainless | | TIN-coated | | Serrated edge |
| Main cu | itting materials | | | | |
| ~~~~ | Cardboard:
1-ply | *** | Cardboard:
up to 2-ply | | Cardboard:
up to 3-ply |
| | Cardboard:
up to 4-ply | $\overline{\square}$ | Bagged
goods | \sim | Wrapping, stretch,
and shrink foil |
| K | Slabbing material off a roll | | Таре | | Plastic strapping
band |
| | Yarn, cord | • | Foam,
polystyrene | | Layers of foil or
paper |
| 畢 | Textile, material | P | Rubber | \approx | Coated film |
| \approx | Laminated film | | Carpet | \bowtie | Envelope |
| | Fleece | \swarrow | Felt | PVC | PVC |
| ×4 | Safety belt | Σζ | Leather | | Self-adhesive
label |
| Accesso | ories | | | | |
| 0 | Used blades box | Ô | Used blades
container | ÷ | Locking key
EASYSAFE |
| 8 | Belt holster
S, M, L | • | MDP-test cards | | |
| Videos | | | | | |
| \square | Product video | | Training video | | |



MARTOR products are available in more than 70 countries. In many countries we are represented by partner companies. Suppliers of MARTOR products located all over the world can be found at www.martor.com under "Distributors".

EUROPE

MARTOR sàrl (Part of MARTOR group of companies) France www.martor.fr

MARTOR UK Limited United Kingdom, Ireland www.martor.co.uk

Akta Trading Holland B.V. Netherlands www.martor.nl

RONOX S.C. Joanna Rozanski -Pawel Rozanski Poland www.ronox.pl

MARTOR Direct ESPANA, S.L. Spain, Morocco, Portugal www.martor.com

Tomas Svitek - ARANGO Czech Republic, Slovak Republic www.arango.cz

PROTEKTOR 2001 Kft. Hungary www.protektor2001.hu

AUSTRALIA

MARTOR Australia Australia, Federated States of Micronesia, Marshall Islands,

Nauru, New Zealand, Palau, Papua New Guinea, Salomon Islands, Samoa, Tonga, Tuvalu, Vanuatu www.martoraustralia.com.au

AMERICA

MARTOR USA (Part of MARTOR group of companies) USA, Canada www.martorusa.com

BIOSEIF SRL Argentina, Brazil, Chile, Uruquay www.bioseif.com.ar

Frago Corporativo S.A. de C.V. Mexico, Colombia, Costa Rica, Ecuador, Guatemala, Peru, Venezuela www.martor.com

ASIA

Magen-Optic Ltd. Israel www.magenoptic.co.il

Mira Is Sagligi Mak Enerji Ltd.Sti Turkev www.mirais.com.tr

THE REFINEMENT: SERVICE AND ADVICE OF MARTOR.

even safer? Our advisory services. We are always there for you and help you with usage examples, training material and, of

website: www.martor.com

properties, special features and more about our cutting tools can be found in the technical

XING X









Linked in



SAURYA

T: +91 22 4065 5555

E: info@sauryahse.com

Distributed By: SAURYA HSE PVT LTD

Veer Sawarkar Marg, Vikhroli (West),

Mumbai – 400079, Maharashtra, India

C-112A, Kailash Business Park,

03.23.2.x | 89110.08 | Printed in Germany. Subject to technical changes.

narto